Safety Data Sheet

according to Regulation (EU) 2020/878 Date of issue: 30.11.2014 Revision date: 30.09.2022



Version/replaced version: 2.2/2.1

	dontification of the substand	ce/mixture and of the company	y/undertaking
	ct identifier		
Product form		Aixture	
Product name	: B	AM-E004 Rubber Sole Sheet	
.2. Releva	int identified uses of the substance	or mixture and uses advised against	
.2.1. Releva	nt identified uses		
Use of the subs	tance/mixture : M	leasuring the electrostatic charging of fl	por carpets by a walking test according to EN 181
.2.2. Uses a	dvised against		
lo additional info	ormation available		
.3. Details	of the supplier of the safety data s	heet	
2205 Berlin - Ge +49 (0) 30 810	,		
+49 (0) 30 810		<u>(</u>	
F +49 (0) 30 810 rm-elastomer@ Safety Data Shee	4-3328 bam.de - <u>http://www.webshop.bam.de/</u>	/ nie GmbH, E-mail: <u>sds@dlac-gmbh.de</u>	
+49 (0) 30 810 rm-elastomer@ Safety Data Shee	4-3328 <u>bam.de</u> - <u>http://www.webshop.bam.de/</u> et: DLAC Dienstleistungsagentur Chen	-	Emergency number
+49 (0) 30 810 rm-elastomer@ safety Data Shee .4. Emerg Country	4-3328 bam.de - http://www.webshop.bam.de/ et: DLAC Dienstleistungsagentur Chen ency telephone number	nie GmbH, E-mail: <u>sds@dlac-gmbh.de</u>	Emergency number +49 30 30686700 (German, English)
+49 (0) 30 810 rm-elastomer@ safety Data Shee .4. Emerg Country	4-3328 bam.de - http://www.webshop.bam.de/ et: DLAC Dienstleistungsagentur Chen ency telephone number Organisation/Company	nie GmbH, E-mail: <u>sds@dlac-gmbh.de</u> Address	
+49 (0) 30 810 rm-elastomer@ Gafety Data Shee .4. Emerg Country Germany	4-3328 bam.de - http://www.webshop.bam.de/ et: DLAC Dienstleistungsagentur Chen ency telephone number Organisation/Company Giftnotruf der Charité Universitätsmedizin Berlin ational poison control centres within the	nie GmbH, E-mail: <u>sds@dlac-gmbh.de</u> Address Oranienburger Straße 285 13437 Berlin e EU can be found under the member st	+49 30 30686700 (German, English) only in Germany; in all other cases use the
+49 (0) 30 810 rm-elastomer@ afety Data Shee .4. Emerg Country Germany	4-3328 bam.de - http://www.webshop.bam.de/ et: DLAC Dienstleistungsagentur Chen ency telephone number Organisation/Company Giftnotruf der Charité Universitätsmedizin Berlin ational poison control centres within the a.eu/de/support/helpdesks/national-he	nie GmbH, E-mail: <u>sds@dlac-gmbh.de</u> Address Oranienburger Straße 285 13437 Berlin e EU can be found under the member si elpdesks/list-of-national-helpdesks	+49 30 30686700 (German, English) only in Germany; in all other cases use the information below ates information on their national helpdesks:
+49 (0) 30 810 rm-elastomer@ afety Data Shee .4. Emerg Country Germany formation on na ttp://echa.europ	4-3328 bam.de - http://www.webshop.bam.de/ et: DLAC Dienstleistungsagentur Chen ency telephone number Organisation/Company Giftnotruf der Charité Universitätsmedizin Berlin ational poison control centres within the a.eu/de/support/helpdesks/national-he n on poison centres can be found at th	nie GmbH, E-mail: <u>sds@dlac-gmbh.de</u> Address Oranienburger Straße 285 13437 Berlin e EU can be found under the member si elpdesks/list-of-national-helpdesks	+49 30 30686700 (German, English) only in Germany; in all other cases use the information below
+49 (0) 30 810 rm-elastomer@ afety Data Shee .4. Emerg Country Germany formation on na ttp://echa.europ	4-3328 bam.de - http://www.webshop.bam.de/ et: DLAC Dienstleistungsagentur Chen ency telephone number Organisation/Company Giftnotruf der Charité Universitätsmedizin Berlin ational poison control centres within the a.eu/de/support/helpdesks/national-he	nie GmbH, E-mail: <u>sds@dlac-gmbh.de</u> Address Oranienburger Straße 285 13437 Berlin e EU can be found under the member si elpdesks/list-of-national-helpdesks	+49 30 30686700 (German, English) only in Germany; in all other cases use the information below ates information on their national helpdesks:
+49 (0) 30 810 rm-elastomer@ afety Data Shee .4. Emerg Country Germany formation on na ttp://echa.europ Blobal informatio	4-3328 bam.de - http://www.webshop.bam.de/ et: DLAC Dienstleistungsagentur Chen ency telephone number Organisation/Company Giftnotruf der Charité Universitätsmedizin Berlin ational poison control centres within the a.eu/de/support/helpdesks/national-he n on poison centres can be found at th	nie GmbH, E-mail: <u>sds@dlac-gmbh.de</u> Address Oranienburger Straße 285 13437 Berlin e EU can be found under the member si elpdesks/list-of-national-helpdesks ne WHO homepage: http://www.who.int/	+49 30 30686700 (German, English) only in Germany; in all other cases use the information below ates information on their national helpdesks:
+49 (0) 30 810 rm-elastomer@ afety Data Shee .4. Emerg Country Germany aformation on na ttp://echa.europ Blobal informatio ECTION 2: .1. Classi	4-3328 bam.de - http://www.webshop.bam.de/ et: DLAC Dienstleistungsagentur Chen ency telephone number Organisation/Company Giftnotruf der Charité Universitätsmedizin Berlin ational poison control centres within the a.eu/de/support/helpdesks/national-he n on poison centres can be found at th Hazards identification	nie GmbH, E-mail: <u>sds@dlac-gmbh.de</u> Address Oranienburger Straße 285 13437 Berlin e EU can be found under the member st elpdesks/list-of-national-helpdesks ne WHO homepage: <u>http://www.who.int/</u>	+49 30 30686700 (German, English) only in Germany; in all other cases use the information below ates information on their national helpdesks:
+49 (0) 30 810 rm-elastomer@ afety Data Shee .4. Emerg Country Germany aformation on na ttp://echa.europ Global information ECTION 2: .1. Classification a	4-3328 bam.de - http://www.webshop.bam.de/ et: DLAC Dienstleistungsagentur Chen ency telephone number Organisation/Company Giftnotruf der Charité Universitätsmedizin Berlin ational poison control centres within the a.eu/de/support/helpdesks/national-he n on poison centres can be found at th Hazards identification fication of the substance or mixture	nie GmbH, E-mail: <u>sds@dlac-gmbh.de</u> Address Oranienburger Straße 285 13437 Berlin e EU can be found under the member st elpdesks/list-of-national-helpdesks ne WHO homepage: <u>http://www.who.int/</u>	+49 30 30686700 (German, English) only in Germany; in all other cases use the information below ates information on their national helpdesks:
+49 (0) 30 810 m-elastomer@ afety Data Shee 4. Emerg Country Germany formation on na ttp://echa.europ lobal informatio ECTION 2: 1. Classi lassification a ensitisation — S azardous to the	4-3328 bam.de - http://www.webshop.bam.de/ et: DLAC Dienstleistungsagentur Chen ency telephone number Organisation/Company Giftnotruf der Charité Universitätsmedizin Berlin ational poison control centres within the a.eu/de/support/helpdesks/national-he n on poison centres can be found at th Hazards identification fication of the substance or mixture ccording to Regulation (EC) No. 127	nie GmbH, E-mail: <u>sds@dlac-gmbh.de</u> Address Oranienburger Straße 285 13437 Berlin e EU can be found under the member stelpdesks/list-of-national-helpdesks he WHO homepage: http://www.who.int/ 2/2008 [CLP] H317 d, Category 1 H400	+49 30 30686700 (German, English) only in Germany; in all other cases use the information below ates information on their national helpdesks:

Full text of H-phrases: see section 16

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Not required, mixture containing elastomer which does not present a hazard to human health by inhalation, ingestion or contact with skin or to the aquatic environment. Exception to the labelling requirement according to Annex I, 1.3.4.1.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Safety Data Sheet according to Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Zinc oxide	(CAS No) 1314-13-2 (EC No) 215-222-5 (EC index No) 030-013-00-7 (REACH No) 01-2119463881-32-XXXX	20 - 30	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Carbon black	(CAS No) 1333-86-4 (EC No) 215-609-9	10 - 20	Not classified
Sulfur	(CAS No) 7704-34-9 (EC No) 231-722-6 (EC index No) 016-094-00-1 (REACH No) 01-2119487295-27-XXXX	1 - 3	Flam. Sol. 2, H228 Skin Irrit. 2, H315
N-isopropyl-N'-phenyl-p-phenylenediamine	(CAS No) 101-72-4 (EC No) 202-969-7 (EC index No) 612-136-00-3	<u>≤</u> 1	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Di(benzothiazol-2-yl) disulphide	(CAS No) 120-78-5 (EC No) 204-424-9 (EC index No) 613-135-00-0	<u><</u> 1	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Name	Product identifier	Specific c	oncentration limits
N-isopropyl-N'-phenyl-p-phenylenediamine	(CAS No) 101-72-4 (EC No) 202-969-7 (EC index No) 612-136-00-3	(C >= 0.1) S	kin Sens. 1, H317

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	 Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Give 2-3 glasses of water to drink. Call a POISON CENTER/doctor/physician if you feel unwell.
4.2. Most important symptoms and effect	cts, both acute and delayed
Symptoms/injuries after skin contact	: May cause an allergic skin reaction.
4.3. Indication of any immediate medica	al attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Extinguishing powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the su	bstance or mixture
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from enterin environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release mea	sures
6.1. Personal precautions, protective eq	uipment and emergency procedures
General measures	: Avoid contact with skin and eyes. Avoid breathing dust.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
30 09 2022	EN (English) 2/10

Safety Data Sheet according to Regulation (EU) 2020/878

6.2.	Environmental precautions	
Preven	nt soil and water pollution. Prevent entry	to sewers and public waters. Notify authorities if product enters sewers or public waters.
6.3.	Methods and material for contain	ment and cleaning up
Metho	ods for cleaning up	: On land, sweep or shovel into suitable containers. Keep in suitable, closed containers for disposal.
6.4.	Reference to other sections	
Concer	rning personal protective equipment to	use, see section 8. Concerning disposal elimination after cleaning, see section 13.
SECT	FION 7: Handling and storage	
7.1.	Precautions for safe handling	

7.1. Precautions for safe handling	
Precautions for safe handling	: Provide adequate ventilation. Avoid breathing dust.
Hygiene measures	: When using do not eat, drink or smoke. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse
7.2. Conditions for safe storage, includi	ng any incompatibilities
Storage conditions	: Store in original container. Store in dry, cool, well-ventilated area. Keep container closed when not in use. Store in a dark area.
Incompatible materials	: Keep out of direct sunlight. Keep away from any flames or sparking source.
Prohibitions on mixed storage	: Keep away from food, drink and animal feedingstuffs.
7.3. Specific end use(s)	

Specific end use(s) No additional information available

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

Zinc oxide (1314-13-2)		
Ireland	Local name	Zinc oxide, fume
Ireland	OEL (8 hours ref) (mg/m ³)	2 (R) mg/m ³
Ireland	OEL (15 min ref) (mg/m3)	10 mg/m ³
United Kingdom	Local name	Dust
United Kingdom	WEL TWA (mg/m ³)	10 mg/m³ (inhalable)
		4 mg/m³ (respirable)

Carbon black (1333-86-4)		
Ireland	Local name	Carbon black
Ireland	OEL (8 hours ref) (mg/m ³)	3 (I) mg/m³
United Kingdom	Local name	Carbon black
United Kingdom	WEL TWA (mg/m ³)	3.5 mg/m ³
United Kingdom	WEL STEL (mg/m ³)	7 mg/m ³

Zinc oxide (1314-13-2)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, inhalation	5 mg/m³	
Long-term - local effects, inhalation	0.5 mg/m ³	
Long-term - systemic effects, dermal	83 mg/kg bodyweight/day	
DNEL/DMEL (General population)		
Long-term - systemic effects, dermal	83 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	2.5 mg/m ³	
Long-term - systemic effects, oral	0.83 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0.0206 mg/l	
PNEC aqua (marine water)	0.0061 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	117.8 mg/kg dwt	
PNEC sediment (marine water)	56.5 mg/kg dwt	
PNEC (Soil)		
PNEC soil	35.6 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	0.1 mg/l	
30.09.2022	FN (English)	3/1

Safety Data Sheet according to Regulation (EU) 2020/878

N-isopropyl-N'-phenyl-p-phenylenediamine	ə (101-72-4)	
DNEL/DMEL (Workers)		
Acute - systemic effects, inhalation	6.4 mg/m ³	
Acute - systemic effects, dermal	0.9 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	0.8 mg/m ³	
Long-term - systemic effects, dermal	0.113 mg/kg bodyweight/day	
DNEL/DMEL (General population)		
Acute - systemic effects, inhalation	1.6 mg/m ³	
Acute - systemic effects, dermal	0.5 mg/kg bodyweight/day	
Acute - systemic effects, oral	0.5 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	0.2 mg/m ³	
Long-term - systemic effects, dermal	0.06 mg/kg bodyweight/day	
Long-term - systemic effects, oral	0.06 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0.28 µg/l	
PNEC aqua (marine water)	0.028 µg/l	
PNEC aqua (intermittent, freshwater)	4.1 μg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	0.008 mg/kg dwt	
PNEC sediment (marine water)	0.001 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0.001 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	0.344 mg/l	
Di(benzothiazol-2-yl) disulphide (120-78-5)		
DNEL/DMEL (Workers)		
Acute - systemic effects, inhalation	70 mg/m ³	
Acute - systemic effects, dermal	40 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	8.8 mg/m ³	
Long-term - systemic effects, dermal	5 mg/kg bodyweight/day	
DNEL/DMEL (General population)		
Acute - systemic effects, inhalation	17.6 mg/m ³	
Acute - systemic effects, dermal	20 mg/kg bodyweight/day	
Acute - systemic effects, oral	10 mg/kg bodyweight/day	
Long-term - systemic effects, oral	1.25 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	2.2 mg/m ³	
Long-term - systemic effects, dermal	2.5 mg/kg bodyweight/day	
PNEC (Sediment)		
PNEC sediment (freshwater)	0.22 mg/kg dwt	
PNEC sediment (marine water)	0.022 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	3.8 mg/l	
8.2. Exposure controls		
Appropriate engineering controls	: Provide local exhaust or general room ventilation.	
Hand protection	 Wear suitable gloves. Chemical resistant PVC gloves (to European standard EN 374 or equivalent). Latex. Nitrile rubber. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. 	
Eye protection	: Chemical goggles or safety glasses (EN 166).	
Skin and body protection	: Wear suitable protective clothing.	
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. Dust production: dust mask with filter type P1.	
Environmental exposure controls	: Avoid release to the environment.	
SECTION 9: Physical and chemical		
9.1. Information on basic physical and		
Physical state	: Solid	
Colour	: Black	
Odour	: Odourless	
Melting point/freezing point	: No data available	

Safety Data Sheet

according to Regulation (EU) 2020/878	
Boiling point or initial boiling point and boiling	: No data available
	. New flowsmake
Flammability	: Non flammable.
Lower and upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
рН	: No data available
Kinematic viscosity	: Not applicable
Solubility	: No data available
Partition coefficient n-octanol/water (log value)	: No data available
Vapour pressure	: No data available
Density and/or relative density	: 1.33 ± 0.02 g/cm³ (ISO 1183-1)
Relative vapour density	: Not applicable
Particle characteristics	: No data available
9.2. Other information	
Explosive properties	: No data available
Oxidising properties	: No data available
Hardness	: 58 ± 3 Shore A (ISO 48-4)
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No dangerous reactions known.	
10.2. Chemical stability	
Stable under use and storage conditions as recom	mended in section 7.
10.3. Possibility of hazardous reactions	
No dangerous reactions known under normal cond	litions of use.
10.4. Conditions to avoid	
Extremely high or low temperatures.	
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition products	
Fume. Carbon monoxide. Carbon dioxide.	
SECTION 11: Toxicological information	n
11.1. Information on hazard classes as defi	
Acute toxicity	: Not classified
	Based on available data, the classification criteria are not met
Zinc oxide (1314-13-2)	
LD50 oral rat	> 2000 mg/kg (OECD 401)
LD50 dermal rat	> 2000 mg/kg (OECD 402)
LC50 inhalation rat (mg/l)	> 5.7 mg/l/4h (OECD 403)
Sulfur (7704-34-9)	
LD50 oral rat	> 2000 mg/kg (OECD 401)
LD50 dermal rat	> 2000 mg/kg (OECD 402)
LC50 inhalation rat (Dust/Mist)	> 5.43 g/m³/4h
Carbon black (1333-86-4)	
LD50 oral rat	> 8000 mg/kg
N-isopropyl-N'-phenyl-p-phenylenediamine (1 LD50 oral rat	
	522 mg/kg (OECD 401)
LD50 dermal rabbit	> 7940 mg/kg
Di(benzothiazol-2-yl) disulphide (120-78-5)	
LD50 oral rat	> 7940 mg/kg
LDE0 dormal rabbit	> 7040 malka

LD50 dermal rabbit

> 7940 mg/kg

ording to Regulation (EU) 2020/878	· · · · · · ·
Skin corrosion/irritation	: Not classified Based on available data, the classification criteria are not met
Sorious ava domogo/irritation	: Not classified
Serious eye damage/irritation	Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
	Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
	Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified
	Based on available data, the classification criteria are not met
Specific target organ toxicity (repeated	: Not classified
exposure)	Based on available data, the classification criteria are not met
Carbon black (1222 86 4)	
Carbon black (1333-86-4) NOAEC (inhalation, rat, dust/mist/fume, 90 days	s) 1.1 mg/m³/6h
Aspiration hazard	: Not classified
Approximit nazaru	Based on available data, the classification criteria are not met
1.2. Information on other hazards	• • • • • • • • • • • • • • • • •
Potential adverse human health effects and	: Based on available data, the classification criteria are not met
ECTION 12: Ecological information	
ECTION 12: Ecological information	: Very toxic to aquatic life.
ECTION 12: Ecological information 2.1. Toxicity Acute aquatic toxicity	: Very toxic to aquatic life. : Very toxic to aquatic life with long lasting effects.
ECTION 12: Ecological information 2.1. Toxicity Acute aquatic toxicity Chronic aquatic toxicity	
ECTION 12: Ecological information 2.1. Toxicity Acute aquatic toxicity Chronic aquatic toxicity Zinc oxide (1314-13-2)	
ECTION 12: Ecological information 2.1. Toxicity Acute aquatic toxicity Chronic aquatic toxicity Zinc oxide (1314-13-2) LC50 fish	: Very toxic to aquatic life with long lasting effects.
ECTION 12: Ecological information 2.1. Toxicity Acute aquatic toxicity Chronic aquatic toxicity Zinc oxide (1314-13-2) LC50 fish EC50 daphnia	 Very toxic to aquatic life with long lasting effects. 0.5 mg/l 96 h, Pimephales promelas (Schubauer-Berrigan, 1993)
ECTION 12: Ecological information 2.1. Toxicity Acute aquatic toxicity Chronic aquatic toxicity Zinc oxide (1314-13-2) LC50 fish EC50 daphnia ErC50 algae	 Very toxic to aquatic life with long lasting effects. 0.5 mg/l 96 h, Pimephales promelas (Schubauer-Berrigan, 1993) 0.413 mg/l pH < 7; Zn++; 48 h, Ceriodaphnia dubia (Hyne et al., 2005)
ECTION 12: Ecological information 2.1. Toxicity Acute aquatic toxicity Chronic aquatic toxicity Zinc oxide (1314-13-2) LC50 fish EC50 daphnia ErC50 algae Carbon black (1333-86-4)	 Very toxic to aquatic life with long lasting effects. 0.5 mg/l 96 h, Pimephales promelas (Schubauer-Berrigan, 1993) 0.413 mg/l pH < 7; Zn++; 48 h, Ceriodaphnia dubia (Hyne et al., 2005) 0.136 mg/l pH > 7 - 8.5; Zn++, 72 h, Selenastrum capricornutum (Van Ginneken, 1994)
ECTION 12: Ecological information 2.1. Toxicity Acute aquatic toxicity Chronic aquatic toxicity Zinc oxide (1314-13-2) LC50 fish EC50 daphnia ErC50 algae Carbon black (1333-86-4) LC50 fish	 Very toxic to aquatic life with long lasting effects. 0.5 mg/l 96 h, Pimephales promelas (Schubauer-Berrigan, 1993) 0.413 mg/l pH < 7; Zn++; 48 h, Ceriodaphnia dubia (Hyne et al., 2005) 0.136 mg/l pH > 7 - 8.5; Zn++, 72 h, Selenastrum capricornutum (Van Ginneken, 1994) > 1000 mg/l 96 h, Brachydanio rerio (OECD 203)
ECTION 12: Ecological information 2.1. Toxicity Acute aquatic toxicity Chronic aquatic toxicity Zinc oxide (1314-13-2) LC50 fish EC50 daphnia ErC50 algae Carbon black (1333-86-4) LC50 fish EC50 daphnia	 Very toxic to aquatic life with long lasting effects. 0.5 mg/l 96 h, Pimephales promelas (Schubauer-Berrigan, 1993) 0.413 mg/l pH < 7; Zn++; 48 h, Ceriodaphnia dubia (Hyne et al., 2005) 0.136 mg/l pH > 7 - 8.5; Zn++, 72 h, Selenastrum capricornutum (Van Ginneken, 1994)
ECTION 12: Ecological information 2.1. Toxicity Acute aquatic toxicity Chronic aquatic toxicity Zinc oxide (1314-13-2) LC50 fish EC50 daphnia ErC50 algae Carbon black (1333-86-4) LC50 fish EC50 daphnia ErC50 algae	 Very toxic to aquatic life with long lasting effects. 0.5 mg/l 96 h, Pimephales promelas (Schubauer-Berrigan, 1993) 0.413 mg/l pH < 7; Zn++; 48 h, Ceriodaphnia dubia (Hyne et al., 2005) 0.136 mg/l pH > 7 - 8.5; Zn++, 72 h, Selenastrum capricornutum (Van Ginneken, 1994) > 1000 mg/l 96 h, Brachydanio rerio (OECD 203) > 5600 mg/l 24 h, Daphnia magna (OECD 202)
ECTION 12: Ecological information 2.1. Toxicity Acute aquatic toxicity Chronic aquatic toxicity Zinc oxide (1314-13-2) LC50 fish EC50 daphnia ErC50 algae Carbon black (1333-86-4) LC50 fish EC50 daphnia ErC50 algae NOEC algae	 Very toxic to aquatic life with long lasting effects. 0.5 mg/l 96 h, Pimephales promelas (Schubauer-Berrigan, 1993) 0.413 mg/l pH < 7; Zn++; 48 h, Ceriodaphnia dubia (Hyne et al., 2005) 0.136 mg/l pH > 7 - 8.5; Zn++, 72 h, Selenastrum capricornutum (Van Ginneken, 1994) > 1000 mg/l 96 h, Brachydanio rerio (OECD 203) > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201)
ECTION 12: Ecological information 2.1. Toxicity Acute aquatic toxicity Chronic aquatic toxicity Zinc oxide (1314-13-2) LC50 fish EC50 daphnia ErC50 algae Carbon black (1333-86-4) LC50 fish EC50 daphnia ErC50 algae NOEC algae NOEC algae N-isopropyI-N'-phenyI-p-phenyIenediamine (1	 Very toxic to aquatic life with long lasting effects. 0.5 mg/l 96 h, Pimephales promelas (Schubauer-Berrigan, 1993) 0.413 mg/l pH < 7; Zn++; 48 h, Ceriodaphnia dubia (Hyne et al., 2005) 0.136 mg/l pH > 7 - 8.5; Zn++, 72 h, Selenastrum capricornutum (Van Ginneken, 1994) > 1000 mg/l 96 h, Brachydanio rerio (OECD 203) > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201)
ECTION 12: Ecological information 2.1. Toxicity Acute aquatic toxicity Chronic aquatic toxicity Zinc oxide (1314-13-2) LC50 fish EC50 daphnia ErC50 algae Carbon black (1333-86-4) LC50 fish EC50 daphnia ErC50 algae NOEC algae NOEC algae N-isopropyI-N'-phenyI-p-phenyIenediamine (1 LC50 fish	 Very toxic to aquatic life with long lasting effects. 0.5 mg/l 96 h, Pimephales promelas (Schubauer-Berrigan, 1993) 0.413 mg/l pH < 7; Zn++; 48 h, Ceriodaphnia dubia (Hyne et al., 2005) 0.136 mg/l pH > 7 - 8.5; Zn++, 72 h, Selenastrum capricornutum (Van Ginneken, 1994) > 1000 mg/l 96 h, Brachydanio rerio (OECD 203) > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 0.41 mg/l 96 h, Pimephales promelas (OECD 204)
ECTION 12: Ecological information 2.1. Toxicity Acute aquatic toxicity Chronic aquatic toxicity Zinc oxide (1314-13-2) LC50 fish EC50 daphnia ErC50 algae Carbon black (1333-86-4) LC50 fish EC50 daphnia ErC50 algae NOEC algae N-isopropyl-N'-phenyl-p-phenylenediamine (1 LC50 fish EC50 daphnia	 Very toxic to aquatic life with long lasting effects. 0.5 mg/l 96 h, Pimephales promelas (Schubauer-Berrigan, 1993) 0.413 mg/l pH < 7; Zn++; 48 h, Ceriodaphnia dubia (Hyne et al., 2005) 0.136 mg/l pH > 7 - 8.5; Zn++, 72 h, Selenastrum capricornutum (Van Ginneken, 1994) > 1000 mg/l 96 h, Brachydanio rerio (OECD 203) > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201)
ECTION 12: Ecological information 2.1. Toxicity Acute aquatic toxicity Chronic aquatic toxicity Zinc oxide (1314-13-2) LC50 fish EC50 daphnia ErC50 algae Carbon black (1333-86-4) LC50 fish EC50 daphnia ErC50 algae NOEC algae N-isopropyI-N'-phenyI-p-phenyIenediamine (1 LC50 fish EC50 daphnia ErC50 algae	 Very toxic to aquatic life with long lasting effects. 0.5 mg/l 96 h, Pimephales promelas (Schubauer-Berrigan, 1993) 0.413 mg/l pH < 7; Zn++; 48 h, Ceriodaphnia dubia (Hyne et al., 2005) 0.136 mg/l pH > 7 - 8.5; Zn++, 72 h, Selenastrum capricornutum (Van Ginneken, 1994) > 1000 mg/l 96 h, Brachydanio rerio (OECD 203) > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 0.41 mg/l 96 h, Pimephales promelas (OECD 204) 0.69 mg/l 48 h, Daphnia magna (EU C.2)
ECTION 12: Ecological information 2.1. Toxicity Acute aquatic toxicity Chronic aquatic toxicity Zinc oxide (1314-13-2) LC50 fish EC50 daphnia ErC50 algae Carbon black (1333-86-4) LC50 fish EC50 daphnia ErC50 algae NOEC algae NOEC algae NOEC algae NOEC algae Carbon black (1333-86-4) LC50 fish EC50 daphnia ErC50 algae NOEC algae LC50 fish EC50 daphnia	 Very toxic to aquatic life with long lasting effects. 0.5 mg/l 96 h, Pimephales promelas (Schubauer-Berrigan, 1993) 0.413 mg/l pH < 7; Zn++; 48 h, Ceriodaphnia dubia (Hyne et al., 2005) 0.136 mg/l pH > 7 - 8.5; Zn++, 72 h, Selenastrum capricornutum (Van Ginneken, 1994) > 1000 mg/l 96 h, Brachydanio rerio (OECD 203) > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 101-72-4) 0.41 mg/l 96 h, Pimephales promelas (OECD 204) 0.69 mg/l 48 h, Daphnia magna (EU C.2) 2.6 mg/l 72 h, Desmodesmus subspicatus (OECD 201)
ECTION 12: Ecological information 2.1. Toxicity Acute aquatic toxicity Chronic aquatic toxicity Zinc oxide (1314-13-2) LC50 fish EC50 daphnia ErC50 algae Carbon black (1333-86-4) LC50 fish EC50 daphnia ErC50 algae NOEC algae N-isopropyI-N'-phenyI-p-phenyIenediamine (1 LC50 fish EC50 daphnia ErC50 algae LOEC daphnia ErC50 algae	 Very toxic to aquatic life with long lasting effects. 0.5 mg/l 96 h, Pimephales promelas (Schubauer-Berrigan, 1993) 0.413 mg/l pH < 7; Zn++; 48 h, Ceriodaphnia dubia (Hyne et al., 2005) 0.136 mg/l pH > 7 - 8.5; Zn++, 72 h, Selenastrum capricornutum (Van Ginneken, 1994) > 1000 mg/l 96 h, Brachydanio rerio (OECD 203) > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 0.41 mg/l 96 h, Pimephales promelas (OECD 204) 0.69 mg/l 48 h, Daphnia magna (EU C.2) 2.6 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 0.087 mg/l 21 d, Daphnia magna (OECD 211)
ECTION 12: Ecological information 2.1. Toxicity Acute aquatic toxicity Chronic aquatic toxicity Zinc oxide (1314-13-2) LC50 fish EC50 daphnia ErC50 algae Carbon black (1333-86-4) LC50 fish EC50 daphnia ErC50 algae NOEC algae N-isopropyI-N'-phenyI-p-phenyIenediamine (1 LC50 fish EC50 daphnia ErC50 algae LOEC daphnia ErC50 algae LOEC daphnia NOEC daphnia NOEC algae	 Very toxic to aquatic life with long lasting effects. 0.5 mg/l 96 h, Pimephales promelas (Schubauer-Berrigan, 1993) 0.413 mg/l pH < 7; Zn++; 48 h, Ceriodaphnia dubia (Hyne et al., 2005) 0.136 mg/l pH > 7 - 8.5; Zn++, 72 h, Selenastrum capricornutum (Van Ginneken, 1994) > 1000 mg/l 96 h, Brachydanio rerio (OECD 203) > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201)
ECTION 12: Ecological information 2.1. Toxicity Acute aquatic toxicity Chronic aquatic toxicity Zinc oxide (1314-13-2) LC50 fish EC50 daphnia ErC50 algae Carbon black (1333-86-4) LC50 fish EC50 daphnia ErC50 algae NOEC algae N-isopropyI-N'-phenyI-p-phenyIenediamine (7 LC50 fish EC50 daphnia ErC50 algae NOEC algae LOEC daphnia NOEC daphnia NOEC daphnia NOEC algae Di(benzothiazoI-2-yl) disulphide (120-78-5)	 Very toxic to aquatic life with long lasting effects. 0.5 mg/l 96 h, Pimephales promelas (Schubauer-Berrigan, 1993) 0.413 mg/l pH < 7; Zn++; 48 h, Ceriodaphnia dubia (Hyne et al., 2005) 0.136 mg/l pH > 7 - 8.5; Zn++, 72 h, Selenastrum capricornutum (Van Ginneken, 1994) > 1000 mg/l 96 h, Brachydanio rerio (OECD 203) > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 1001-72-4) 0.41 mg/l 96 h, Pimephales promelas (OECD 204) 0.69 mg/l 48 h, Daphnia magna (EU C.2) 2.6 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 0.087 mg/l 21 d, Daphnia magna (OECD 211) 0.23 mg/l 72 h, Desmodesmus subspicatus (OECD 201)
ECTION 12: Ecological information 2.1. Toxicity Acute aquatic toxicity Chronic aquatic toxicity Zinc oxide (1314-13-2) LC50 fish EC50 daphnia ErC50 algae Carbon black (1333-86-4) LC50 fish EC50 daphnia ErC50 algae NOEC algae N-isopropyI-N'-phenyI-p-phenyIenediamine (1 LC50 fish EC50 daphnia ErC50 algae LOEC daphnia ErC50 algae LOEC daphnia NOEC daphnia NOEC algae Di(benzothiazoI-2-yl) disulphide (120-78-5) LC50 fish	 Very toxic to aquatic life with long lasting effects. 0.5 mg/l 96 h, Pimephales promelas (Schubauer-Berrigan, 1993) 0.413 mg/l pH < 7; Zn++; 48 h, Ceriodaphnia dubia (Hyne et al., 2005) 0.136 mg/l pH > 7 - 8.5; Zn++, 72 h, Selenastrum capricornutum (Van Ginneken, 1994) > 1000 mg/l 96 h, Brachydanio rerio (OECD 203) > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 0.41 mg/l 96 h, Pimephales promelas (OECD 204) 0.69 mg/l 48 h, Daphnia magna (EU C.2) 2.6 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 0.087 mg/l 21 d, Daphnia magna (OECD 211) 0.23 mg/l 72 h, Desmodesmus subspicatus (OECD 201) < 1 mg/l 96 h, Oncorhynchus mykiss (OECD 203)
symptoms SECTION 12: Ecological information 2.1. Toxicity Acute aquatic toxicity Chronic aquatic toxicity Zinc oxide (1314-13-2) LC50 fish EC50 daphnia ErC50 algae Carbon black (1333-86-4) LC50 fish EC50 daphnia ErC50 algae NOEC algae NOEC algae NOEC algae LOEC daphnia ErC50 algae LOEC daphnia NOEC algae Di(benzothiazol-2-yl) disulphide (120-78-5) LC50 fish EC50 daphnia ErC50 algae	 Very toxic to aquatic life with long lasting effects. 0.5 mg/l 96 h, Pimephales promelas (Schubauer-Berrigan, 1993) 0.413 mg/l pH < 7; Zn++; 48 h, Ceriodaphnia dubia (Hyne et al., 2005) 0.136 mg/l pH > 7 - 8.5; Zn++, 72 h, Selenastrum capricornutum (Van Ginneken, 1994) > 1000 mg/l 96 h, Brachydanio rerio (OECD 203) > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 1001-72-4) 0.41 mg/l 96 h, Pimephales promelas (OECD 204) 0.69 mg/l 48 h, Daphnia magna (EU C.2) 2.6 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 0.087 mg/l 21 d, Daphnia magna (OECD 211) 0.23 mg/l 72 h, Desmodesmus subspicatus (OECD 201)

12.2. Persistence and degradability

BAM-E004 Rubber Sole Sheet		
Persistence and degradability	May cause long-term adverse effects in the environment.	
N-isopropyl-N'-phenyl-p-phenylenediamine (101-72-4)		
Persistence and degradability Not readily biodegradable.		
Biodegradation	18.9 %, 32 d (OECD 301B)	


Safety Data Sheet according to Regulation (EU) 2020/878

according to Regulation (EU) 2020/878	
di(benzothiazol-2-yl) disulphide (120-78-5)	
Persistence and degradability	Not readily biodegradable.
Biodegradation	0 %, 28 d (OECD 301C)
12.3. Bioaccumulative potential	
N-isopropyl-N'-phenyl-p-phenylenediamine	(101-72-4)
Log Pow	2.77
Di(benzothiazol-2-yl) disulphide (120-78-5)	
Bioconcentration factor (BCF REACH)	<=51
Log Pow	4.5
12.4. Mobility in soil	
N-isopropyl-N'-phenyl-p-phenylenediamine	(101-72-4)
Log Koc	2.39 - 3.64
12.5. Results of PBT and vPvB assessme	nt
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
No additional information available	
SECTION 13: Disposal consideration	
13.1. Waste treatment methods	· Dispasal must be dang according to official regulations
Regional legislation (waste) Waste treatment methods	 Disposal must be done according to official regulations. This material and its container must be disposed of in a safe way. Do not dispose of with
waste treatment methods	domestic waste. Do not empty into drains.
European List of Waste (LoW) code	: 07 02 13 - waste plastic
SECTION 14: Transport information	
In accordance with ADR / IMDG / IATA	
14.1. UN number or ID number	
UN-No. (ADR)	: 3077
UN-No. (IMDG)	: 3077
UN-No.(IATA)	: 3077
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Proper Shipping Name (IATA)	: Environmentally hazardous substance, solid, n.o.s.
Transport document description (ADR)	: UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS zinc oxide), 9, III, (-)
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 9
Hazard labels (ADR)	: 9
IMDG	

Safety Data Sheet according to Regulation (EU) 2020/878



ΙΑΤΑ







14.4. Packing group	
Packing group (ADR)	: III
Packing group (IMDG)	: III
Packing group (IATA)	: 111
14.5. Environmental hazards	
Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

14.6. Special precautions for user

14.6.1. Overland transport	
Classification code (ADR)	: M7
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 5kg
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P002, IBC08, LP02, R001
Special packing provisions (ADR)	: PP12, B3
Mixed packing provisions (ADR)	: MP10
Portable tank and bulk container instructions (ADR)	: T1, BK1, BK2, BK3
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAV, LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V13
Special provisions for carriage - Bulk (ADR)	: VC1, VC2
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	<u>90</u> <u>3077</u>
Tunnel restriction code (ADR)	: -

14.6.2. Transport by sea

Special provisions (IMDG)
Limited quantities (IMDG)
Excepted quantities (IMDG)
Packing instructions (IMDG)
Special packing provisions (IMDG)

: P002, LP02 : PP12

: 5 kg : E1

: 274, 335, 966, 967, 969

Safety Data Sheet

according to Regulation (EU) 2020/878

IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: T1, BK1, BK2, BK3
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW23
14.6.3. Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y956
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 956
PCA max net quantity (IATA)	: 400kg
CAO packing instructions (IATA)	: 956
CAO max net quantity (IATA)	: 400kg
Special provisions (IATA)	: A97, A158, A179, A197
ERG code (IATA)	: 9L

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information	
Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Changes compared to the previous version	: Section 1.4. Section 2.2.
•••• • •	

Abbreviations and acronyms:

European Agreement concerning the International Carriage of Dangerous Goods by Road
Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
Derived Minimal Effect Level
Derived No-Effect Level
The effective concentration of substance that causes 50% of the maximum response (Median Effective Concentration)
International Air Transport Association
"International Maritime Dangerous Goods Code" for the transport of dangerous goods by sea
Lethal Concentration to 50 % of a test population (Median Lethal Concentration)
Lethal Dose to 50% of a test population (Median Lethal Dose)
No Observed Effect Concentration/Level
Organisation for Economic Cooperation and Development
Persistent, Bioaccumulative and Toxic substance
Predicted No-Effect Concentration
Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
Safety Data Sheet
Sewage Treatment Plant
Very Persistent and Very Bioaccumulative

Safety Data Sheet according to Regulation (EU) 2020/878

Full text of H- and EUH-phrases:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Flam. Sol. 2	Flammable solids, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Sensitisation — Skin, category 1	
H228	Flammable solid	
H302	Harmful if swallowed	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H400	Very toxic to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.