Safety Data Sheet

according to Regulation (EU) 2020/878

Date of issue: 30.11.2014 Revision date: 05.10.2022 Version/Replaced version: 2.2/2.1



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : BAM-E015 Elastomer ISO 6072 NBR 1

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Characterization of service fluids, hydraulic and automotive area

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Bundesanstalt für Materialforschung und -prüfung (BAM)

Unter den Eichen 87

12205 Berlin – Germany

T +49 (0) 30 8104-3230, -1749 - F +49 (0) 30 8104-3328

crm-elastomer@bam.de - http://www.webshop.bam.de/

Safety Data Sheet: DLAC Dienstleistungsagentur Chemie GmbH, E-mail: sds@dlac-gmbh.de

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number
Germany	Giftnotruf der Charité Universitätsmedizin Berlin	Oranienburger Straße 285 13437 Berlin	+49 30 30686700 (German, English) only in Germany; in all other cases use the information below

Information on national poison control centres within the EU can be found under the member states information on their national helpdesks: http://echa.europa.eu/de/support/helpdesks/national-helpdesks/list-of-national-helpdesks

Global information on poison centres can be found at the WHO homepage: http://www.who.int/gho/phe/chemical_safety/poisons_centres/en/

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Reproductive toxicity, Category 1B H360D

Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

Full text of H-phrases: see section 16

Adverse physicochemical, human health and environmental effects

May damage the unborn child. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

Not required, mixture containing elastomer which does not present a hazard to human health by inhalation, ingestion or contact with skin or to the aquatic environment. Exception to the labelling requirement according to Annex I, 1.3.4.1.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1 Substance

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No 1272/2008 [CLP]
Carbon black	(CAS No) 1333-86-4 (EC No) 215-609-9	20 - 50	Not classified
Zinc oxide	(CAS No) 1314-13-2 (EC No) 215-222-5 (EC Index No) 030-013-00-7 (REACH No) 01-2119463881-32-XXXX	1 - 3	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Calcium carbonate	(CAS No) 471-34-1 (EC No) 207-439-9	< 2	Not classified

05.10.2022 EN (English) 1/9

Safety Data Sheet

according to Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No 1272/2008 [CLP]
$Bis(\alpha,\alpha\text{-dimethylbenzyl}) \ peroxide$	(CAS No) 80-43-3 (EC No) 201-279-3 (EC Index No) 617-006-00-X	< 1	Org. Perox. F, H242 Eye Irrit. 2, H319 Repr. 1B, H360D Skin Irrit. 2, H315 Aquatic Chronic 2, H411

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice

(show the label where possible).

First-aid measures after inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by

warm water rinse.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

First-aid measures after ingestion : Rinse mouth. Give 2-3 glasses of water to drink.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : May damage the unborn child

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Extinguishing powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering

environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin and eyes. Avoid breathing dust.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Prevent soil and water pollution. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Keep in suitable, closed containers for

disposal.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Provide adequate ventilation. Avoid breathing dust. Do not handle until all safety precautions

have been read and understood. Obtain special instructions before use.

clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

Hygiene measures : When using do not eat, drink or smoke. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work

05.10.2022 EN (English) 2/9

Safety Data Sheet

according to Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Store in dry, cool, well-ventilated area. Store in a dark area. Keep

container closed when not in use.

Incompatible materials : Keep away from any flames or sparking source. Keep out of direct sunlight.

Prohibitions on mixed storage : Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Carbon black (1333-86-4)			
Ireland	Local name	Carbon black	
Ireland	OEL (8 hours ref) (mg/m³)	3 (I) mg/m³	
United Kingdom	Local name	Carbon black	
United Kingdom	WEL TWA (mg/m³)	3.5 mg/m³	
United Kingdom	WEL STEL (mg/m³)	7 mg/m³	

Zinc oxide (1314-13-2)		
Ireland	Local name	Zinc oxide, fume
Ireland	OEL (8 hours ref) (mg/m³)	2 (R) mg/m³
Ireland	OEL (15 min ref) (mg/m3)	10 mg/m³
United Kingdom	Local name	Dust
United Kingdom	WEL TWA (mg/m³)	10 mg/m³ (inhalable) 4 mg/m³ (respirable)

Calcium carbonate (471-34-1)		
Ireland	Local name	Calcium carbonate
Ireland	OEL (8 hours ref) (mg/m³)	10 mg/m³ (total inhalable dust) 4 mg/m³ (respirable dust)
United Kingdom	Local name	Calcium carbonate
United Kingdom	WEL TWA (mg/m³)	10 mg/m³ (inhalable dust) 4 mg/m³ (respirable)

Zinc oxide (1314-13-2)	Zinc oxide (1314-13-2)	
DNEL/DMEL (Workers)		
Long-term - systemic effects, inhalation	5 mg/m³	
Long-term - local effects, inhalation	0.5 mg/m³	
Long-term - systemic effects, dermal	83 mg/kg bodyweight/day	
DNEL/DMEL (General population)		
Long-term - systemic effects, dermal	83 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	2.5 mg/m³	
Long-term - systemic effects, oral	0.83 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0.0206 mg/l	
PNEC aqua (marine water)	0.0061 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	117.8 mg/kg dwt	
PNEC sediment (marine water)	56.5 mg/kg dwt	
PNEC (Soil)		
PNEC soil	35.6 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	0.1 mg/l	
Calairus andrausta (474-94-4)		

Calcium carbonate (471-34-1)			
DNEL/DMEL (Workers)	DNEL/DMEL (Workers)		
Long-term - local effects, inhalation	6.36 mg/m³		
DNEL/DMEL (General Population)			
Long-term - local effects, inhalation	1.06 mg/m³		
Long-term - systemic effects, oral	6.1 mg/kg bodyweight/day		
Acute - systemic effects, oral 6.1 mg/kg bodyweight/day			
PNEC (STP)			
PNEC sewage treatment plant	100 mg/l		

05.10.2022 EN (English) 3/9

Safety Data Sheet

according to Regulation (EU) 2020/878

Bis(α,α-dimethylbenzyl) peroxide (80-43-3)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, inhalation	5.6 mg/m³	
Long-term - systemic effects, dermal	0.8 mg/kg bodyweight/day	
DNEL/DMEL (General population)		
Long-term - systemic effects, dermal	0.4 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	1.4 mg/m³	
Long-term - systemic effects, oral	0.4 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	2.34 μg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	2.24 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0.447 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	100 mg/l	

8.2. Exposure controls

Appropriate engineering controls : Provide local exhaust or general room ventilation.

Hand protection : Wear suitable gloves. Chemical resistant PVC gloves (to European standard EN 374 or

equivalent). Latex. Nitrile rubber. The exact break through time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Eye protection : Chemical goggles or safety glasses (EN 166).

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of inadequate ventilation wear respiratory protection. Dust production: dust mask with

filter type P1.

Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Colour : Black

Odour : Odourless

Melting point/freezing point : No data available

Boiling point or initial boiling point and boiling : No data available

range

Flammability Non flammable Lower and upper explosion limit Not applicable Flash point Not applicable Auto-ignition temperature Not applicable Decomposition temperature No data available No data available pΗ Kinematic viscosity Not applicable Solubility No data available Partition coefficient n-octanol/water (log value) Not applicable No data available Vapour pressure

Density and/or relative density : 1.21 – 1.25 g/cm³ (ISO 2781)

Relative vapour density : Not applicable
Particle characteristics : No data available

9.2. Other information

Hardness : 80 ± 3 IRHD (ISO 48-4)

Tensile strength : 20 MPa min. (ISO 37)

Elongation at break : 150 % min. (ISO 37)

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known.

10.2. Chemical stability

Stable under use and storage conditions as recommended in section 7.

05.10.2022 EN (English) 4/9

Safety Data Sheet

according to Regulation (EU) 2020/878

Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. **Conditions to avoid**

Extremely high or low temperatures.

Incompatible materials

No additional information available

Camban black (4222 00 4)

Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : Not classified

Based on available data, the classification criteria are not met

Cardon black (1333-86-4)	
LD50 oral rat	> 8000 mg/kg
Zinc oxide (1314-13-2)	
LD50 oral rat	> 2000 mg/kg (OECD 401)
LD50 dermal rat	> 2000 mg/kg (OECD 402)
LC50 inhalation rat	> 5.7 mg/l/4h (OECD 403)
Bis(α,α-dimethylbenzyl) peroxide (80-43-3)	
LD50 oral rat	> 2000 mg/kg (OECD 401)
LD50 dermal rat	> 2000 mg/kg (OECD 402)

Skin corrosion/irritation : Not classified

Based on available data, the classification criteria are not met

Serious eye damage/irritation Not classified

Based on available data, the classification criteria are not met

Respiratory or skin sensitisation Not classified

Based on available data, the classification criteria are not met

Germ cell mutagenicity Not classified

Based on available data, the classification criteria are not met

Carcinogenicity Not classified

Based on available data, the classification criteria are not met

Reproductive toxicity May damage the unborn child.

Specific target organ toxicity (single exposure) Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (repeated Not classified

exposure)

Based on available data, the classification criteria are not met

Carbon black (1333-86-4)

NOAEC (inhalation, rat, dust/mist/fume, 90 days) 1.1 mg/m3/6h

Aspiration hazard Not classified

Based on available data, the classification criteria are not met

Information on other hazards

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

Toxicity

Acute aquatic toxicity : Not classified

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Carbon black (1333-86-4)	
LC50 fish	> 1000 mg/l 96 h, Danio rerio (OECD 203)
EC50 daphnia	> 5600 mg/l 24 h, Daphnia magna (OECD 202)
ErC50 algae	> 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201)
NOEC algae	> 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201)
Zinc oxide (1314-13-2)	
LC50 fish	0.5 mg/l 96 h, Pimephales promelas (Schubauer-Berrigan, 1993)
EC50 daphnia	0.413 mg/l pH < 7; Zn++; 48 h, Ceriodaphnia dubia (Hyne et al., 2005)

05.10.2022 EN (English) 5/9

Safety Data Sheet

according to Regulation (EU) 2020/878

Zinc oxide (1314-13-2)		
ErC50 algae	0.136 mg/l pH > 7 - 8.5; Zn++, 72 h, Selenastrum capricornutum (Van Ginneken, 1994)	
Bis(α,α-dimethylbenzyl) peroxide (80-43-3)		
EbC50 algae > 20 mg/l 72 h, Pseudokirchneriella subcapitata (OECD 201)		
NOEC algae	3.2 mg/l 72 h, Pseudokirchneriella subcapitata (OECD 201)	

12.2. Persistence and degradability

BAM-E015 Elastomer ISO 6072 NBR 1		
Persistence and degradability	May cause long-term adverse effects in the environment.	
Bis(α,α-dimethylbenzyl) peroxide (80-43-3)		
Persistence and degradability	Inherently biodegradable.	

12.3. Bioaccumulative potential

BAM-E015 Elastomer ISO 6072 NBR 1	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Dispose in a safe manner in accordance with local/national regulations.

Waste treatment methods : Do not dispose of with domestic waste. Do not empty into drains. This material and its container

must be disposed of in a safe way.

European List of Waste (LoW) code : 07 02 13 - waste plastic

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

14.1. UN number or ID number

UN-No. (ADR) : 3077 UN-No. (IMDG) : 3077 UN-No. (IATA) : 3077

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, solid, n.o.s.

Transport document description (ADR) : UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS zinc

oxide), 9, III, (-)

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 9
Hazard labels (ADR) : 9



IMDG

Transport hazard class(es) (IMDG) : 9
Danger labels (IMDG) : 9

05.10.2022 EN (English) 6/9

Safety Data Sheet

according to Regulation (EU) 2020/878



IATA

Transport hazard class(es) (IATA) : 9 Hazard labels (IATA) 9



14.4. **Packing group**

Packing group (ADR) : 111 : 111 Packing group (IMDG) : III Packing group (IATA)

Environmental hazards

: Yes Dangerous for the environment Marine pollutant Yes

Other information No supplementary information available

Special precautions for user

14.6.1. **Overland transport**

Classification code (ADR) : M7

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5kg Excepted quantities (ADR) E1

Packing instructions (ADR) P002, IBC08, LP02, R001

: PP12, B3 Special packing provisions (ADR) Mixed packing provisions (ADR) : MP10

Portable tank and bulk container instructions

(ADR)

Portable tank and bulk container special : TP33

provisions (ADR)

Tank code (ADR) : SGAV, LGBV

Vehicle for tank carriage : AT Transport category (ADR) : 3 Special provisions for carriage - Packages : V13

(ADR)

Orange plates

Special provisions for carriage - Bulk (ADR) : VC1, VC2 Special provisions for carriage - Loading, : CV13

unloading and handling (ADR)

Hazard identification number (Kemler No.) : 90

90 3077

ВЗ

: T1, BK1, BK2, BK3

Tunnel restriction code (ADR)

14.6.2. Transport by sea

IBC special provisions (IMDG)

Special provisions (IMDG) : 274, 335, 966, 967, 969

Limited quantities (IMDG) : 5 kg Excepted quantities (IMDG) : E1 Packing instructions (IMDG) P002, LP02 : PP12 Special packing provisions (IMDG) IBC packing instructions (IMDG) : IBC08

05.10.2022 EN (English) 7/9

Safety Data Sheet

according to Regulation (EU) 2020/878

Tank instructions (IMDG) : T1, BK1, BK2, BK3

Tank special provisions (IMDG) : TP33
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-F
Stowage category (IMDG) : A
Stowage and handling (IMDG) : SW23

14.6.3. Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y956
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 956
PCA max net quantity (IATA) : 400kg
CAO packing instructions (IATA) : 956
CAO max net quantity (IATA) : 400kg

Special provisions (IATA) : A97, A158, A179, A197

ERG code (IATA) : 9L

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Changes compared to the previous version : Section 1.4.

Section 2.2. Section 8.1.

Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	The effective concentration of substance that causes 50% of the maximum response (Median Effective Concentration)
IATA	International Air Transport Association
IMDG	"International Maritime Dangerous Goods Code" for the transport of dangerous goods by sea
LC50	Lethal Concentration to 50 % of a test population (Median Lethal Concentration)
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
LOAEL	Lowest Observed Adverse Effect Level
NOAEC/L	No Observed Adverse Effect Concentration/Level
NOEC/L	No Observed Effect Concentration/Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent, Bioaccumulative and Toxic substance
PNEC	Predicted No-Effect Concentration
REACH	Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
SDS	Safety Data Sheet
STP	Sewage Treatment Plant
UFI	Unique Formula Identifier

05.10.2022 EN (English) 8/9

Safety Data Sheet according to Regulation (EU) 2020/878

· · · · · · · · · · · · · · · · · · ·		
vPvB Very Persistent and	Very Bioaccumulative	
Full text of H- and EUH-phrases:		
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Org. Perox. F	Organic Peroxides, Type F	
Repr. 1B	Reproductive toxicity, Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
H242	Heating may cause a fire.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H360D	May damage the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

05.10.2022 EN (English) 9/9