# Safety Data Sheet

according to Regulation (EU) 2020/878

Date of issue: 30.11.2014 Revision date: 05.10.2022 Version/replaced version: 2.2/2.1



### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : BAM-E017 Elastomer ISO 13226 SRE-NBR/L

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : Hydraulic and automotive area (vulcanized with thiurame, low content of acrylonitrile)

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Bundesanstalt für Materialforschung und -prüfung (BAM)

Unter den Eichen 87 12205 Berlin – Germany T +49 (0) 30 8104-3230, -1749 F +49 (0) 30 8104-3328

crm-elastomer@bam.de - http://www.webshop.bam.de/

Safety Data Sheet: DLAC Dienstleistungsagentur Chemie GmbH, E-mail: <a href="mailto:sds@dlac-gmbh.de">sds@dlac-gmbh.de</a>

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number
Germany	Giftnotruf der Charité	Oranienburger Straße 285	+49 30 30686700 (German, English)
	Universitätsmedizin Berlin	13437 Berlin	only in Germany; in all other cases use the information below

Information on national poison control centres within the EU can be found under the member states information on their national helpdesks: http://echa.europa.eu/de/support/helpdesks/national-helpdesks/list-of-national-helpdesks

Global information on poison centres can be found at the WHO homepage: http://www.who.int/gho/phe/chemical safety/poisons centres/en/

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

Full text of H-phrases: see section 16

#### Adverse physicochemical, human health and environmental effects

Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

### Labelling according to Regulation (EC) No 1272/2008 [CLP]

Not required, mixture containing elastomer which does not present a hazard to human health by inhalation, ingestion or contact with skin or to the aquatic environment. Exception to the labelling requirement according to Annex I, 1.3.4.1.

## 2.3. Other hazards

No additional information available

# SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

in i			
Name	Product identifier	%	Classification according to Regulation (EC) No 1272/2008 [CLP]
Carbon black	(CAS No) 1333-86-4 (EC No) 215-609-9	30 - 50	Not classified

05.10.2022 EN (English) 1/9

# Safety Data Sheet

according to Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No 1272/2008 [CLP]
Zinc oxide	(CAS No) 1314-13-2 (EC No) 215-222-5 (EC Index No) 030-013-00-7 (REACH No) 01-2119463881-32-XXXX	1 - 5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sulfur	(CAS No) 7704-34-9 (EC No) 231-722-6 (EC Index No) 016-094-00-1 (REACH No) 01-2119487295-27-XXXX	< 1	Flam. Sol. 2, H228 Skin Irrit. 2, H315
Di(benzothiazol-2-yl) disulphide	(CAS No) 120-78-5 (EC No) 204-424-9 (EC Index No) 613-135-00-0	< 1	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of and H-phrases: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

First-aid measures after ingestion : Rinse mouth. Give 2-3 glasses of water to drink.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Extinguishing powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from

entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent soil and water pollution. Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Keep in suitable, closed containers for

disposal.

#### 6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid breathing dust. Provide adequate ventilation.

05.10.2022 EN (English) 2/9

# Safety Data Sheet

according to Regulation (EU) 2020/878

Hygiene measures : When using do not eat, drink or smoke. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in o

: Store in original container. Store in dry, cool, well-ventilated area. Keep container closed when

not in use. Store in a dark area.

Incompatible materials : Keep out of direct sunlight. Keep away from any flames or sparking source.

Prohibitions on mixed storage : Keep away from food, drink and animal feedingstuffs.

#### 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

Carbon black (1333-86-4)			
Ireland	Local name	Carbon black	
Ireland	OEL (8 hours ref) (mg/m³)	3 (I) mg/m³	
United Kingdom	Local name	Carbon black	
United Kingdom	WEL TWA (mg/m³)	3.5 mg/m³	
United Kingdom	WEL STEL (mg/m³)	7 mg/m³	

Zinc oxide (1314-13-2)		
Ireland	Local name	Zinc oxide, fume
Ireland	OEL (8 hours ref) (mg/m³)	2 (R) mg/m³
Ireland	OEL (15 min ref) (mg/m3)	10 mg/m³
United Kingdom	Local name	Dust
United Kingdom	WEL TWA (mg/m³)	10 mg/m³ (inhalable) 4 mg/m³ (respirable)

Zinc oxide (1314-13-2)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, inhalation	5 mg/m³	
Long-term - local effects, inhalation	0.5 mg/m³	
Long-term - systemic effects, dermal	83 mg/kg bodyweight/day	
DNEL/DMEL (General population)		
Long-term - systemic effects, dermal	83 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	2.5 mg/m³	
Long-term - systemic effects, oral	0.83 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0.0206 mg/l	
PNEC aqua (marine water)	0.0061 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	117.8 mg/kg dwt	
PNEC sediment (marine water)	56.5 mg/kg dwt	
PNEC (Soil)		
PNEC soil	35.6 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	0.1 mg/l	

Di(benzothiazol-2-yl) disulphide (120-78-5)		
DNEL/DMEL (Workers)		
Acute - systemic effects, inhalation	70 mg/m³	
Acute - systemic effects, dermal	40 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	8.8 mg/m³	
Long-term - systemic effects, dermal	5 mg/kg bodyweight/day	
DNEL/DMEL (General population)		
Acute - systemic effects, inhalation	17.6 mg/m³	
Acute - systemic effects, dermal	20 mg/kg bodyweight/day	
Acute - systemic effects, oral	10 mg/kg bodyweight/day	
Long-term - systemic effects, oral	1.25 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	2.2 mg/m³	
Long-term - systemic effects, dermal	2.5 mg/kg bodyweight/day	
PNEC (Sediment)		
PNEC sediment (freshwater)	0.22 mg/kg dwt	

05.10.2022 EN (English) 3/9

#### Safety Data Sheet

according to Regulation (EU) 2020/878

Di(benzothiazol-2-yl) disulphide (120-78-5)		
PNEC sediment (marine water) 0.022 mg/kg dwt		
PNEC (STP)		
PNEC sewage treatment plant	3.8 mg/l	

#### 8.2. Exposure controls

Appropriate engineering controls : Provide local exhaust or general room ventilation.

Hand protection : Wear suitable gloves. Chemical resistant PVC gloves (to European standard EN 374 or

equivalent). Latex. Nitrile rubber. The exact break through time has to be found out by the

manufacturer of the protective gloves and has to be observed.

Eye protection : Chemical goggles or safety glasses (EN 166).

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of inadequate ventilation wear respiratory protection. Dust production: dust mask with

filter type P1.

Environmental exposure controls : Avoid release to the environment.

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Colour : Black

Odour : Odourless

Melting point/freezing point : No data available

Boiling point or initial boiling point and boiling : No data available

range

Flammability Non flammable Lower and upper explosion limit Not applicable Flash point Not applicable Not applicable Auto-ignition temperature Decomposition temperature No data available No data available Kinematic viscosity Not applicable Solubility No data available Partition coefficient n-octanol/water (log value) Not applicable Vapour pressure No data available Density and/or relative density No data available Relative vapour density Not applicable Particle characteristics No data available

#### 9.2. Other information

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No dangerous reactions known.

#### 10.2. Chemical stability

Stable under use and storage conditions as recommended in section 7.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Extremely high or low temperatures.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : Not classified

Based on available data, the classification criteria are not met

05.10.2022 EN (English) 4/9

# Safety Data Sheet according to Regulation (EU) 2020/878

coording to Regulation (EU) 2020/878	
Carbon black (1333-86-4)	2 0000 m will m
LD50 oral rat	> 8000 mg/kg
Zinc oxide (1314-13-2)	
LD50 oral rat	> 2000 mg/kg (OECD 401)
LD50 dermal rat	> 2000 mg/kg (OECD 402)
LC50 inhalation rat	> 5.7 mg/l/4h (OECD 403)
Sulfur (7704-34-9)	
LD50 oral rat	> 2000 mg/kg (OECD 401)
LD50 dermal rat	> 2000 mg/kg (OECD 402)
LC50 inhalation rat (Dust/Mist)	> 5.43 g/m³/4h
Di(benzothiazol-2-yl) disulphide (120-78-5)	
LD50 oral rat	> 7940 mg/kg
LD50 dermal rabbit	> 7940 mg/kg
Skin corrosion/irritation	: Not classified
	Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified
	Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified
. toopilatory of ortal continuous.	Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Com commutagoriloty	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Caromogornoity	Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
reproductive toxicity	Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (single exposure)	Based on available data, the classification criteria are not met
	based on available data, the classification chieffa are not met
Specific target organ toxicity (repeated	: Not classified
exposure)	Based on available data, the classification criteria are not met
Carbon black (1333-86-4)	
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	1.1 mg/m³/6h
Aspiration hazard	: Not classified
•	Based on available data, the classification criteria are not met
11.2. Information on other hazards	
Potential adverse human health effects and	: Based on available data, the classification criteria are not met
symptoms	,
SECTION 12: Ecological information	
12.1. Toxicity	

SECTION 12: Ecological information	
12.1. Toxicity	
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.
Carbon black (1333-86-4)	
LC50 fish	> 1000 mg/l 96 h, Brachydanio rerio (OECD 203)
EC50 daphnia	> 5600 mg/l 24 h, Daphnia magna (OECD 202)
ErC50 algae	> 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201)
NOEC algae	> 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201)
Zinc oxide (1314-13-2)	
LC50 fish	0.5 mg/l 96 h, Pimephales promelas (Schubauer-Berrigan, 1993)
EC50 daphnia	0.413 mg/l pH < 7; Zn++; 48 h, Ceriodaphnia dubia (Hyne et al., 2005)
ErC50 algae	0.136 mg/l pH > 7 - 8.5; Zn++, 72 h, Selenastrum capricornutum (Van Ginneken, 1994)
Di(benzothiazol-2-yl) disulphide (120-78-5)	
LC50 fish	< 1 mg/l 96 h, Oncorhynchus mykiss (OECD 203)
EC50 daphnia	211 mg/l 48 h, Daphnia magna (EU C.2)
ErC50 algae	> 40 mg/l 72 h, Desmodesmus subspicatus (EU C.3)
NOEC algae	>= 40 mg/l 72 h, Desmodesmus subspicatus (EU C.3)

05.10.2022 EN (English) 5/9

# Safety Data Sheet

according to Regulation (EU) 2020/878

12.2.	Persistence:	and deg	radability
-------	--------------	---------	------------

BAM-E017 Elastomer ISO 13226 SRE-NBR/L		
Persistence and degradability  May cause long-term adverse effects in the environment.		
Di(benzothiazol-2-yl) disulphide (120-78-5)		
Persistence and degradability	Not readily biodegradable.	
Biodegradation	0 %, 28 d (OECD 301 C)	

#### 12.3. Bioaccumulative potential

Di(benzothiazol-2-yl) disulphide (120-78-5)		
Bioconcentration factor (BCF REACH)	≤ 51	
Log Pow	4.5	

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Regional legislation (waste) : Dispose in a safe manner in accordance with local/national regulations.

Waste treatment methods : Do not dispose of with domestic waste. Do not empty into drains. This material and its container

must be disposed of in a safe way.

European List of Waste (LoW) code : 07 02 13 - waste plastic

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA

# 14.1. UN number or ID number

UN-No. (ADR) : 3077 UN-No. (IMDG) : 3077 UN-No. (IATA) : 3077

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, solid, n.o.s.

Transport document description (ADR) : UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS zinc

oxide), 9, III, (-)

#### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 9
Hazard labels (ADR) : 9



# IMDG

Transport hazard class(es) (IMDG) : 9
Danger labels (IMDG) : 9



05.10.2022 EN (English) 6/9

# Safety Data Sheet

according to Regulation (EU) 2020/878

#### IATA

Transport hazard class(es) (IATA) : 9
Hazard labels (IATA) : 9



#### 14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III

#### 14.5. Environmental hazards

Dangerous for the environment : Yes

Marine pollutant : Yes

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### 14.6.1. Overland transport

Classification code (ADR) : M7

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : PP12, B3
Mixed packing provisions (ADR) : MP10

Portable tank and bulk container instructions

(ADR)

and bulk container special : TP33

Portable tank and bulk container special

provisions (ADR)

. 1533

: T1, BK1, BK2, BK3

Tank code (ADR) : SGAV, LGBV

Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages : V13

(ADR)

Special provisions for carriage - Bulk (ADR) : VC1, VC2 Special provisions for carriage - Loading, : CV13 unloading and handling (ADR)

Hazard identification number (Kemler No.)
Orange plates

: 90

90

3077

Tunnel restriction code (ADR) : -

#### 14.6.2. Transport by sea

Special provisions (IMDG) : 274, 335, 966, 967, 969

Limited quantities (IMDG) : 5 kg

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P002, LP02

Special packing provisions (IMDG) : PP12

IBC packing instructions (IMDG) : IBC08

IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : T1, BK1, BK2, BK3

Tank special provisions (IMDG) : TP33
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-F

05.10.2022 EN (English) 7/9

#### Safety Data Sheet

according to Regulation (EU) 2020/878

Stowage category (IMDG) : A
Stowage and handling (IMDG) : SW23

#### 14.6.3. Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y956
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 956
PCA max net quantity (IATA) : 400kg
CAO packing instructions (IATA) : 956
CAO max net quantity (IATA) : 400kg

Special provisions (IATA) : A97, A158, A179, A197

ERG code (IATA) : 9L

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

#### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending

Regulation (EC) No 1907/2006.

Changes compared to the previous version : Section 1.4.

Section 2.2.

# Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
DMEL	Derived Minimal Effect Level	
DNEL	Derived No-Effect Level	
EC50	The effective concentration of substance that causes 50% of the maximum response (Median Effective Concentration)	
IATA	International Air Transport Association	
IMDG	"International Maritime Dangerous Goods Code" for the transport of dangerous goods by sea	
LC50	Lethal Concentration to 50 % of a test population (Median Lethal Concentration)	
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)	
NOEC/L	No Observed Effect Concentration/Level	
OECD	Organisation for Economic Cooperation and Development	
PBT	Persistent, Bioaccumulative and Toxic substance	
PNEC	Predicted No-Effect Concentration	
REACH	Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals	
SDS	Safety Data Sheet	
STP	Sewage Treatment Plant	
vPvB	Very Persistent and Very Bioaccumulative	

## Full text of H- and EUH-phrases:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Flam. Sol. 2	Flammable solids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
H228	Flammable solid

05.10.2022 EN (English) 8/9

# Safety Data Sheet according to Regulation (EU) 2020/878

H315	Causes skin irritation
H317	May cause an allergic skin reaction
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

05.10.2022 EN (English) 9/9