Safety Data Sheet

according to Regulation (EU) 2020/878

Date of issue: 30.11.2014 Revision date: 05.10.2022

S BAM

SECTION 1: Identification of	the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product form	: Mixture	
Product name	: BAM-E024 Rubber Slider Pad	
1.2. Relevant identified uses of	f the substance or mixture and uses advised against	
1.2.1. Relevant identified uses		
Use of the substance/mixture	: Determination of surface grip property of streets according to EN 13036-4:2011	
1.2.2. Uses advised against		
No additional information available		
1.3. Details of the supplier of the	.3. Details of the supplier of the safety data sheet	

Version/replaced version: 2 2/2 1

Bundesanstalt für Materialforschung und -prüfung (BAM) Unter den Eichen 87 12205 Berlin – Germany T +49 (0) 30 8104-3230, -1749 - F +49 (0) 30 8104-3328 crm-elastomer@bam.de - http://www.webshop.bam.de/

Safety Data Sheet: DLAC Dienstleistungsagentur Chemie GmbH, E-mail: sds@dlac-gmbh.de

1.4. Emergency telephone number			
Country	Organisation/Company	Address	Emergency number
Germany	Giftnotruf der Charité Universitätsmedizin Berlin	Oranienburger Straße 285 13437 Berlin	+49 30 30686700 (German, English) only in Germany; in all other cases use the information below

Information on national poison control centres within the EU can be found under the member states information on their national helpdesks: http://echa.europa.eu/de/support/helpdesks/national-helpdesks/list-of-national-helpdesks

Global information on poison centres can be found at the WHO homepage: http://www.who.int/gho/phe/chemical safety/poisons centres/en/

SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 [CLP] Sensitisation — Skin, Category 1 H317 Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

Full text of H-phrases: see section 16

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

Not required, mixture containing elastomer which does not present a hazard to human health by inhalation, ingestion or contact with skin or to the aquatic environment. Exception to the labelling requirement according to Annex I, 1.3.4.1.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

841.

Not applicable

3.2. MIXTURES			
Name	Product identifier	%	Classification according to Regulation (EC) No 1272/2008 [CLP]
Carbon black	(CAS No) 1333-86-4 (EC No) 215-609-9	30 - 50	Not classified
Zinc oxide	(CAS No) 1314-13-2 (EC No) 215-222-5 (EC Index No) 030-013-00-7 (REACH No) 01-2119463881-32-XXXX	1 - 5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Safety Data Sheet according to Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No 1272/2008 [CLP]
Sulfur	(CAS No) 7704-34-9 (EC No) 231-722-6 (EC Index No) 016-094-00-1 (REACH No) 01-2119487295-27-XXXX	1 - 2.5	Flam. Sol. 2, H228 Skin Irrit. 2, H315
N-isopropyl-N'-phenyl-p-phenylenediamine	(CAS No) 101-72-4 (EC No) 202-969-7 (EC Index No) 612-136-00-3	<u>≤</u> 1	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
N-cyclohexylbenzothiazole-2-sulphenamide	(CAS No) 95-33-0 (EC No) 202-411-2 (EC Index No) 613-136-00-6	<u><</u> 1	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Name	Product identifier	Specific cond	centration limits
N-isopropyl-N'-phenyl-p-phenylenediamine	(CAS No) 101-72-4 (EC No) 202-969-7 (EC Index No) 612-136-00-3	(C >= 0.1) Skin	Sens. 1, H317

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Give 2-3 glasses of water to drink. Call a POISON CENTER/doctor/physician if you feel unwell.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/injuries after skin contact	: May cause an allergic skin reaction.
4.3. Indication of any immediate medica Treat symptomatically.	al attention and special treatment needed
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Extinguishing powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the su	ibstance or mixture
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release mea	sures
	guipment and emergency procedures
General measures	: Avoid contact with skin and eyes. Avoid breathing dust.
6.1.1. For non-emergency personnel Emergency procedures	: Evacuate unnecessary personnel.
Energency procedures	. Ladouato uninecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Prev	rent soil and water pollution. Notify authorities if product enters sewers or public waters.
6.3. Methods and material for containm	ent and cleaning up
Methods for cleaning up	: On land, sweep or shovel into suitable containers. Keep in suitable, closed containers for disposal.
05.10.2022	EN (English) 2/-

Safety Data Sheet

according to Regulation (EU) 2020/878

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Provide adequate ventilation. Avoid breathing dust.
Hygiene measures	: When using do not eat, drink or smoke. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	: Store in original container. Store in a cool, well-ventilated place. Store in a dark area. Keep container closed when not in use.
Incompatible materials	: Keep out of direct sunlight. Keep away from any flames or sparking source.
Prohibitions on mixed storage	: Keep away from food, drink and animal feedingstuffs.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection 8.1. **Control parameters** Zinc oxide (1314-13-2) Ireland Local name Zinc oxide, fume Ireland OEL (8 hours ref) (mg/m³) 2 (R) mg/m³ Ireland OEL (15 min ref) (mg/m3) 10 mg/m³ United Kingdom Local name Dust United Kingdom WEL TWA (mg/m³) 10 mg/m³ (inhalable) 4 mg/m³ (respirable) Carbon black (1333-86-4) Carbon black Ireland Local name Ireland OEL (8 hours ref) (mg/m³) 3 (I) mg/m³ United Kingdom Carbon black Local name United Kingdom WEL TWA (mg/m³) 3.5 mg/m³ United Kingdom WEL STEL (mg/m³) 7 mg/m³ Zinc oxide (1314-13-2) DNEL/DMEL (Workers) Long-term - systemic effects, inhalation 5 mg/m³ Long-term - local effects, inhalation 0.5 mg/m³ Long-term - systemic effects, dermal 83 mg/kg bodyweight/day DNEL/DMEL (General population) Long-term - systemic effects, dermal 83 mg/kg bodyweight/day Long-term - systemic effects, inhalation 2.5 mg/m³ Long-term - systemic effects, oral 0.83 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) 0.0206 mg/l 0.0061 mg/l PNEC aqua (marine water) PNEC (Sediment) PNEC sediment (freshwater) 117.8 mg/kg dwt PNEC sediment (marine water) 56.5 mg/kg dwt PNEC (Soil) PNEC soil 35.6 mg/kg dwt PNEC (STP) 0.1 mg/l PNEC sewage treatment plant N-isopropyl-N'-phenyl-p-phenylenediamine (101-72-4) DNEL/DMEL (Workers) Acute - systemic effects, inhalation 6.4 mg/m³ 0.9 mg/kg bodyweight/day Acute - systemic effects, dermal Long-term - systemic effects, inhalation 0.8 mg/m³ 0.113 mg/kg bodyweight/day Long-term - systemic effects, dermal DNEL/DMEL (General population)

Acute - systemic effects, inhalation

Acute - systemic effects, dermal

0.5 mg/kg bodyweight/day

1.6 mg/m³

Safety Data Sheet according to Regulation (EU) 2020/878

Variate available affinite and	101-72-4)
Acute - systemic effects, oral	0.5 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0.2 mg/m ³
_ong-term - systemic effects, dermal	0.06 mg/kg bodyweight/day
_ong-term - systemic effects, oral	0.06 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.28 µg/l
PNEC aqua (marine water)	0.028 µg/l
PNEC aqua (intermittent, freshwater)	4.1 μg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.008 mg/kg dwt
PNEC sediment (marine water)	0.001 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.001 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	0.344 mg/l
	0.044 mg/i
N-cyclohexylbenzothiazole-2-sulphenamide (95-33-0)
DNEL/DMEL (Workers)	
Acute - systemic effects, inhalation	11 mg/m ³
Acute - systemic effects, dermal	534 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	11 mg/m ³
Long-term - systemic effects, dermal	67 mg/kg bodyweight/day
Acute - local effects, inhalation	11 mg/m ³
Long-term - local effects, inhalation	11 mg/m ³
DNEL/DMEL (General population)	
Acute - systemic effects, inhalation	2.8 mg/m ³
Acute - systemic effects, dermal	266 mg/kg bodyweight/day
Acute - systemic effects, oral	6.4 mg/kg bodyweight/day
Long-term - systemic effects, oral	0.8 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	2.8 mg/m ³
Long-term - systemic effects, dermal	33 mg/kg bodyweight/day
Acute - local effects, inhalation	2.8 mg/m ³
Long-term - local effects, inhalation	2.8 mg/m ³
PNEC (Water)	2.8 mg/m
PNEC (Waler) PNEC aqua (freshwater)	0.001 mg/l
PNEC aqua (masinwater)	0.001 mg/l
	0 mg/l
PNEC aqua (intermittent, freshwater)	0.002 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.183 mg/kg dwt
PNEC sediment (marine water)	0.018 mg/kg dwt
PNEC (Soil)	
PNEC soil	3.61 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	26.4 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	100 mg/l
2. Exposure controls	
ppropriate engineering controls	: Provide local exhaust or general room ventilation.
and protection	: Wear suitable gloves. Chemical resistant PVC gloves (to European standard EN 374 or
	equivalent). Latex. Nitrile rubber. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
ye protection	: Chemical goggles or safety glasses (EN 166).
kin and body protection	: Wear suitable protective clothing.
espiratory protection	: In case of inadequate ventilation wear respiratory protection. Dust production: dust mask wit
	filter type P1.
	: Avoid release to the environment.

Safety Data Sheet according to Regulation (EU) 2020/878

according to Regulation (EU) 2020/878		
Colour	: Black	
Odour	: Odourless	
Melting point/freezing point	: No data available	
Boiling point or initial boiling point and boiling range	: No data available	
Flammability	: Non flammable	
Lower and upper explosion limit	: Not applicable	
Flash point	: Not applicable	
Auto-ignition temperature	: Not applicable	
Decomposition temperature	: No data available	
pH	: No data available	
Kinematic viscosity	: Not applicable	
Solubility	: No data available	
Partition coefficient n-octanol/water (log value)	: Not applicable	
Vapour pressure	: No data available	
Density and/or relative density	: No data available	
Relative vapour density	: Not applicable	
Particle characteristics	: No data available	
9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivity		
10.1. Reactivity		
No dangerous reactions known.		
10.2. Chemical stability		
Stable under use and storage conditions as recom	mended in section 7.	
10.3. Possibility of hazardous reactions		
No dangerous reactions known under normal cond	itions of use.	
10.4. Conditions to avoid		
Extremely high or low temperatures.		
10.5. Incompatible materials		
No additional information available		
10.6. Hazardous decomposition products		
Fume. Carbon monoxide. Carbon dioxide.		
SECTION 11: Toxicological informatio		
11.1. Information on hazard classes as defined		
Acute toxicity	: Not classified	
	Based on available data, the classification criteria are not met	
Zinc oxide (1314-13-2)		
LD50 oral rat	> 2000 mg/kg (OECD 401)	
LD50 dermal rat	> 2000 mg/kg (OECD 402)	
LC50 inhalation rat	> 5.7 mg/l/4h (OECD 403)	
Sulfur (7704-34-9)		
LD50 oral rat	> 2000 mg/kg (OECD 401)	
LD50 dermal rat	> 2000 mg/kg (OECD 402)	
LC50 inhalation rat (Dust/Mist)	> 5.43 g/m³/4h	
Carbon black (1333-86-4)		
LD50 oral rat	> 8000 mg/kg	
N-isopropyl-N'-phenyl-p-phenylenediamine (10		
LD50 oral rat	522 mg/kg (OECD 401)	
LD50 dermal rabbit	> 7940 mg/kg	

LD50 oral rat

LD50 dermal rabbit Skin corrosion/irritation

N-cyclohexylbenzothiazole-2-sulphenamide (95-33-0)

5300 mg/kg > 7940 mg/kg

: Not classified

Based on available data, the classification criteria are not met

Safety Data Sheet according to Regulation (EU) 2020/878

cording to Regulation (EU) 2020/878	
Serious eye damage/irritation	: Not classified
	Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Caroniogoniony	Based on available data, the classification criteria are not met
Depreductive tovicity	
Reproductive toxicity	Not classified
	Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified
	Based on available data, the classification criteria are not met
N-cyclohexylbenzothiazole-2-sulphenamide (95	5-33-0)
LOAEL (oral, rat)	250 mg/kg bodyweight
LOAEL (dermal, rabbit)	2000 mg/kg bodyweight
NOAEL (oral, rat)	80 mg/kg bodyweight
Specific target organ toxicity (repeated	: Not classified
exposure)	Based on available data, the classification criteria are not met
Carbon black (1333-86-4)	
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	1.1 mg/m³/6h
Aspiration hazard	: Not classified
	Based on available data, the classification criteria are not met
1.2. Information on other hazards	
	: Based on available data, the classification criteria are not met
symptoms	
ECTION 12: Ecological information	
2.1. Toxicity	
Acute aquatic toxicity	: Not classified
	: Toxic to aquatic life with long lasting effects.
· · · ·	
Zinc oxide (1314-13-2)	
LC50 fish	0.5 mg/l 96 h, Pimephales promelas (Schubauer-Berrigan, 1993)
EC50 daphnia	0.413 mg/l pH < 7; Zn++; 48 h, Ceriodaphnia dubia (Hyne et al., 2005)
ErC50 algae	0.136 mg/l pH > 7 - 8.5; Zn++, 72 h, Selenastrum capricornutum (Van Ginneken, 1994)
Carbon black (1333-86-4)	
	> 1000 mg/l 96 h, Brachydanio rerio (OECD 203)
I C5() fish	
LC50 fish	
EC50 daphnia	> 5600 mg/l 24 h, Daphnia magna (OECD 202)
EC50 daphnia ErC50 algae	> 5600 mg/l 24 h, Daphnia magna (OECD 202)> 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201)
EC50 daphnia ErC50 algae	> 5600 mg/l 24 h, Daphnia magna (OECD 202)
EC50 daphnia ErC50 algae NOEC algae	 > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201)
EC50 daphnia ErC50 algae NOEC algae N-isopropyl-N'-phenyl-p-phenylenediamine (10	 > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201)
EC50 daphnia ErC50 algae NOEC algae N-isopropyl-N'-phenyl-p-phenylenediamine (10 LC50 fish	 > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 1-72-4) 0.41 mg/l 96 h, Pimephales promelas (OECD 204)
EC50 daphnia ErC50 algae NOEC algae N-isopropyl-N'-phenyl-p-phenylenediamine (10 LC50 fish EC50 daphnia	 > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 1-72-4) 0.41 mg/l 96 h, Pimephales promelas (OECD 204) 0.69 mg/l 48 h, Daphnia magna (EU C.2)
EC50 daphnia ErC50 algae NOEC algae N-isopropyI-N'-phenyI-p-phenylenediamine (10 LC50 fish EC50 daphnia ErC50 algae	 > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 1-72-4) 0.41 mg/l 96 h, Pimephales promelas (OECD 204) 0.69 mg/l 48 h, Daphnia magna (EU C.2) 2.6 mg/l 72 h, Desmodesmus subspicatus (OECD 201)
EC50 daphnia ErC50 algae NOEC algae N-isopropyl-N'-phenyl-p-phenylenediamine (10 LC50 fish EC50 daphnia ErC50 algae LOEC daphnia	 > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 1-72-4) 0.41 mg/l 96 h, Pimephales promelas (OECD 204) 0.69 mg/l 48 h, Daphnia magna (EU C.2) 2.6 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 0.087 mg/l 21 d, Daphnia magna (OECD 211)
EC50 daphnia ErC50 algae NOEC algae N-isopropyI-N'-phenyI-p-phenyIenediamine (10 LC50 fish EC50 daphnia ErC50 algae LOEC daphnia NOEC daphnia	 > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 1-72-4) 0.41 mg/l 96 h, Pimephales promelas (OECD 204) 0.69 mg/l 48 h, Daphnia magna (EU C.2) 2.6 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 0.087 mg/l 21 d, Daphnia magna (OECD 211) 0.028 mg/l 21 d, Daphnia magna (OECD 211)
EC50 daphnia ErC50 algae NOEC algae N-isopropyl-N'-phenyl-p-phenylenediamine (10 LC50 fish EC50 daphnia ErC50 algae LOEC daphnia NOEC daphnia NOEC algae	 > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 1-72-4) 0.41 mg/l 96 h, Pimephales promelas (OECD 204) 0.69 mg/l 48 h, Daphnia magna (EU C.2) 2.6 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 0.087 mg/l 21 d, Daphnia magna (OECD 211) 0.028 mg/l 21 d, Daphnia magna (OECD 211) 0.23 mg/l 72 h, Desmodesmus subspicatus (OECD 201)
EC50 daphnia ErC50 algae NOEC algae N-isopropyl-N'-phenyl-p-phenylenediamine (10 LC50 fish EC50 daphnia ErC50 algae LOEC daphnia NOEC daphnia NOEC algae	 > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 1-72-4) 0.41 mg/l 96 h, Pimephales promelas (OECD 204) 0.69 mg/l 48 h, Daphnia magna (EU C.2) 2.6 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 0.087 mg/l 21 d, Daphnia magna (OECD 211) 0.028 mg/l 21 d, Daphnia magna (OECD 211) 0.23 mg/l 72 h, Desmodesmus subspicatus (OECD 201)
EC50 daphnia ErC50 algae NOEC algae N-isopropyI-N'-phenyI-p-phenyIenediamine (10 LC50 fish EC50 daphnia ErC50 algae LOEC daphnia NOEC daphnia NOEC algae N-cyclohexyIbenzothiazole-2-sulphenamide (95	 > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 1-72-4) 0.41 mg/l 96 h, Pimephales promelas (OECD 204) 0.69 mg/l 48 h, Daphnia magna (EU C.2) 2.6 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 0.087 mg/l 21 d, Daphnia magna (OECD 211) 0.028 mg/l 21 d, Daphnia magna (OECD 211) 0.23 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 3-300 2.1 mg/l 96 h, Oryzias latipes (OECD 203)
EC50 daphnia ErC50 algae NOEC algae N-isopropyI-N'-phenyI-p-phenyIenediamine (10 LC50 fish EC50 daphnia ErC50 algae LOEC daphnia NOEC daphnia NOEC algae N-cyclohexyIbenzothiazole-2-sulphenamide (95 LC50 fish	 > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 1-72-4) 0.41 mg/l 96 h, Pimephales promelas (OECD 204) 0.69 mg/l 48 h, Daphnia magna (EU C.2) 2.6 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 0.087 mg/l 21 d, Daphnia magna (OECD 211) 0.028 mg/l 21 d, Daphnia magna (OECD 211) 0.23 mg/l 72 h, Desmodesmus subspicatus (OECD 201)
EC50 daphnia ErC50 algae NOEC algae N-isopropyI-N'-phenyI-p-phenyIenediamine (10 LC50 fish EC50 daphnia ErC50 algae LOEC daphnia NOEC daphnia NOEC algae N-cyclohexyIbenzothiazole-2-sulphenamide (9 LC50 fish EC50 daphnia	 > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 1-72-4) 0.41 mg/l 96 h, Pimephales promelas (OECD 204) 0.69 mg/l 48 h, Daphnia magna (EU C.2) 2.6 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 0.087 mg/l 21 d, Daphnia magna (OECD 211) 0.028 mg/l 21 d, Daphnia magna (OECD 211) 0.23 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 3-300 2.1 mg/l 96 h, Oryzias latipes (OECD 203)
EC50 daphnia ErC50 algae NOEC algae N-isopropyI-N'-phenyI-p-phenyIenediamine (10 LC50 fish EC50 daphnia ErC50 algae LOEC daphnia NOEC daphnia NOEC daphnia NOEC algae N-cyclohexyIbenzothiazole-2-sulphenamide (95 LC50 fish EC50 daphnia ErC50 algae	 > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 1-72-4) 0.41 mg/l 96 h, Pimephales promelas (OECD 204) 0.69 mg/l 48 h, Daphnia magna (EU C.2) 2.6 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 0.087 mg/l 21 d, Daphnia magna (OECD 211) 0.028 mg/l 21 d, Daphnia magna (OECD 211) 0.23 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 5-33-0) 2.1 mg/l 96 h, Oryzias latipes (OECD 203) 0.79 mg/l 48 h, Daphnia magna (OECD 202)
EC50 daphnia ErC50 algae NOEC algae N-isopropyl-N'-phenyl-p-phenylenediamine (10 LC50 fish EC50 daphnia ErC50 algae LOEC daphnia NOEC daphnia NOEC algae N-cyclohexylbenzothiazole-2-sulphenamide (95 LC50 fish EC50 daphnia ErC50 algae NOEC daphnia	 > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 1-72-4) 0.41 mg/l 96 h, Pimephales promelas (OECD 204) 0.69 mg/l 48 h, Daphnia magna (EU C.2) 2.6 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 0.087 mg/l 21 d, Daphnia magna (OECD 211) 0.028 mg/l 21 d, Daphnia magna (OECD 211) 0.23 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 5-33-0) 2.1 mg/l 96 h, Oryzias latipes (OECD 203) 0.79 mg/l 48 h, Daphnia magna (OECD 202) 0.15 mg/l 72 h, Pseudokirchneriella subcapitata (OECD 201)
EC50 daphnia ErC50 algae NOEC algae N-isopropyl-N'-phenyl-p-phenylenediamine (10 LC50 fish EC50 daphnia ErC50 algae LOEC daphnia NOEC daphnia NOEC algae N-cyclohexylbenzothiazole-2-sulphenamide (95 LC50 fish EC50 daphnia ErC50 algae NOEC daphnia 2.2. Persistence and degradability	 > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 1-72-4) 0.41 mg/l 96 h, Pimephales promelas (OECD 204) 0.69 mg/l 48 h, Daphnia magna (EU C.2) 2.6 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 0.087 mg/l 21 d, Daphnia magna (OECD 211) 0.028 mg/l 21 d, Daphnia magna (OECD 211) 0.23 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 5-33-0) 2.1 mg/l 96 h, Oryzias latipes (OECD 203) 0.79 mg/l 48 h, Daphnia magna (OECD 202) 0.15 mg/l 72 h, Pseudokirchneriella subcapitata (OECD 201)
EC50 daphnia ErC50 algae NOEC algae N-isopropyl-N'-phenyl-p-phenylenediamine (10 LC50 fish EC50 daphnia ErC50 algae LOEC daphnia NOEC daphnia NOEC algae N-cyclohexylbenzothiazole-2-sulphenamide (95 LC50 fish EC50 daphnia ErC50 algae NOEC daphnia	 > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 1-72-4) 0.41 mg/l 96 h, Pimephales promelas (OECD 204) 0.69 mg/l 48 h, Daphnia magna (EU C.2) 2.6 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 0.087 mg/l 21 d, Daphnia magna (OECD 211) 0.028 mg/l 21 d, Daphnia magna (OECD 211) 0.23 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 5-33-0) 2.1 mg/l 96 h, Oryzias latipes (OECD 203) 0.79 mg/l 48 h, Daphnia magna (OECD 202) 0.15 mg/l 72 h, Pseudokirchneriella subcapitata (OECD 201)
EC50 daphnia ErC50 algae NOEC algae N-isopropyl-N'-phenyl-p-phenylenediamine (10 LC50 fish EC50 daphnia ErC50 algae LOEC daphnia NOEC daphnia NOEC algae N-cyclohexylbenzothiazole-2-sulphenamide (95 LC50 fish EC50 daphnia ErC50 algae NOEC daphnia 2.2. Persistence and degradability	 > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 1-72-4) 0.41 mg/l 96 h, Pimephales promelas (OECD 204) 0.69 mg/l 48 h, Daphnia magna (EU C.2) 2.6 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 0.087 mg/l 21 d, Daphnia magna (OECD 211) 0.028 mg/l 21 d, Daphnia magna (OECD 211) 0.23 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 5-33-0) 2.1 mg/l 96 h, Oryzias latipes (OECD 203) 0.79 mg/l 48 h, Daphnia magna (OECD 202) 0.15 mg/l 72 h, Pseudokirchneriella subcapitata (OECD 201)
EC50 daphnia ErC50 algae NOEC algae N-isopropyl-N'-phenyl-p-phenylenediamine (10 LC50 fish EC50 daphnia ErC50 algae LOEC daphnia NOEC daphnia NOEC algae N-cyclohexylbenzothiazole-2-sulphenamide (95 LC50 fish EC50 daphnia ErC50 algae NOEC daphnia 2.2. Persistence and degradability BAM-E024 Rubber Slider Pad Persistence and degradability	 > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 1-72-4) 0.41 mg/l 96 h, Pimephales promelas (OECD 204) 0.69 mg/l 48 h, Daphnia magna (EU C.2) 2.6 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 0.087 mg/l 21 d, Daphnia magna (OECD 211) 0.028 mg/l 21 d, Daphnia magna (OECD 211) 0.23 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 5-33-0) 2.1 mg/l 96 h, Oryzias latipes (OECD 203) 0.79 mg/l 48 h, Daphnia magna (OECD 202) 0.15 mg/l 72 h, Pseudokirchneriella subcapitata (OECD 201) May cause long-term adverse effects in the environment.
EC50 daphnia ErC50 algae NOEC algae N-isopropyl-N'-phenyl-p-phenylenediamine (10 LC50 fish EC50 daphnia ErC50 algae LOEC daphnia NOEC daphnia NOEC algae N-cyclohexylbenzothiazole-2-sulphenamide (98 LC50 fish EC50 daphnia ErC50 algae NOEC daphnia	 > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 1-72-4) 0.41 mg/l 96 h, Pimephales promelas (OECD 204) 0.69 mg/l 48 h, Daphnia magna (EU C.2) 2.6 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 0.087 mg/l 21 d, Daphnia magna (OECD 211) 0.028 mg/l 21 d, Daphnia magna (OECD 211) 0.23 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 5-33-0) 2.1 mg/l 96 h, Oryzias latipes (OECD 203) 0.79 mg/l 48 h, Daphnia magna (OECD 202) 0.15 mg/l 72 h, Pseudokirchneriella subcapitata (OECD 201) 0.058 mg/l 21 d, Daphnia magna (OECD 211) 1.72 h, Desmodesmus subspicatus (OECD 201)
EC50 daphnia ErC50 algae NOEC algae N-isopropyl-N'-phenyl-p-phenylenediamine (10 LC50 fish EC50 daphnia ErC50 algae LOEC daphnia NOEC daphnia NOEC algae N-cyclohexylbenzothiazole-2-sulphenamide (98 LC50 fish EC50 daphnia ErC50 algae NOEC daphnia ErC50 algae NOEC daphnia ErC50 algae NOEC daphnia	 > 5600 mg/l 24 h, Daphnia magna (OECD 202) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) > 10000 mg/l 72 h, Scenedesmus subspicatus (OECD 201) 1-72-4) 0.41 mg/l 96 h, Pimephales promelas (OECD 204) 0.69 mg/l 48 h, Daphnia magna (EU C.2) 2.6 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 0.087 mg/l 21 d, Daphnia magna (OECD 211) 0.028 mg/l 21 d, Daphnia magna (OECD 211) 0.23 mg/l 72 h, Desmodesmus subspicatus (OECD 201) 5-33-0) 2.1 mg/l 96 h, Oryzias latipes (OECD 203) 0.79 mg/l 48 h, Daphnia magna (OECD 202) 0.15 mg/l 72 h, Pseudokirchneriella subcapitata (OECD 201) May cause long-term adverse effects in the environment.

Safety Data Sheet according to Regulation (EU) 2020/878

According to Regulation (EU) 2020/878	
N-cyclohexylbenzothiazole-2-sulphenamic	
Persistence and degradability Biodegradation	Not readily biodegradable. 0 %, 28 d (EU C.4-F)
	0 %, 28 d (E0 C.4-F)
12.3. Bioaccumulative potential	
N-isopropyl-N'-phenyl-p-phenylenediamin	
Log Pow	2.77
N-cyclohexylbenzothiazole-2-sulphenamic	
Bioconcentration factor (BCF REACH)	924.7
Log Pow	5
12.4. Mobility in soil	
N-isopropyl-N'-phenyl-p-phenylenediamin	ie (101-72-4)
Log Koc	2.39 - 3.64
12.5. Results of PBT and vPvB assessm	nent
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
No additional information available	
SECTION 13: Disposal consideration	ons
13.1. Waste treatment methods	
Regional legislation (waste)	: Dispose in a safe manner in accordance with local/national regulations.
Waste treatment methods	: Do not dispose of with domestic waste. Do not empty into drains. This material and its container
	must be disposed of in a safe way.
European List of Waste (LoW) code	: 07 02 13 - waste plastic
SECTION 14: Transport informatio	n
In accordance with ADR / IMDG / IATA	
14.1. UN number or ID number	2027
UN-No. (ADR)	: 3077
UN-No. (IMDG)	: 3077
UN-No.(IATA)	: 3077
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Proper Shipping Name (IATA)	: Environmentally hazardous substance, solid, n.o.s.
Transport document description (ADR)	: UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS zinc
_	oxide), 9, III, (-)
14.3. Transport hazard class(es)	
Transport hazard class(es) (ADR)	: 9
Hazard labels (ADR)	: 9
	\mathbb{W}
IMDG	
Transport hazard class(es) (IMDG)	: 9
Danger labels (IMDG)	: 9

Safety Data Sheet according to Regulation (EU) 2020/878

ΙΑΤΑ

Transport hazard class(es) (IATA)	: 9	
Hazard labels (IATA)	: 9	



14.4 Packing group	
14.4. Packing group	: 111
Packing group (ADR) Packing group (IMDG)	· III : III
	· · · · · · · · · · · · · · · · · · ·
Packing group (IATA)	• 111
14.5. Environmental hazards	
Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available
14.6. Special precautions for user	
14.6.1. Overland transport	
Classification code (ADR)	: M7
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 5kg
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P002, IBC08, LP02, R001
Special packing provisions (ADR)	: PP12, B3
Mixed packing provisions (ADR)	: MP10
Portable tank and bulk container instructions (ADR)	: T1, BK1, BK2, BK3
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAV, LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V13
Special provisions for carriage - Bulk (ADR)	: VC1, VC2
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	90 3077
Tunnel restriction code (ADR)	: -
14.6.2. Transport by sea	
Special provisions (IMDG)	: 274, 335, 966, 967, 969
Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P002, LP02
Special packing provisions (IMDG)	: PP12
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: T1, BK1, BK2, BK3
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Emo-ivo. (opiliage)	: 5- F

Safety Data Sheet

according to Regulation (EU) 2020/878

Stowage	category	(IMDG)	

Stowage and handling (IMDG)	: SW23
14.6.3. Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y956
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 956
PCA max net quantity (IATA)	: 400kg
CAO packing instructions (IATA)	: 956
CAO max net quantity (IATA)	: 400kg
Special provisions (IATA)	: A97, A158, A179, A197
ERG code (IATA)	: 9L

14.7. Maritime transport in bulk according to IMO instruments Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

· A

15.1.1. EU-Regulations

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information					
REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.					
: Section 1.4. Section 2.2. Section 8.1.					

Abbreviations and acronyms: ADR European Agreement concerning the International Carriage of Dangerous Goods by Road CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures DMEL Derived Minimal Effect Level DNEL Derived No-Effect Level The effective concentration of substance that causes 50% of the maximum response (Median Effective Concentration) EC50 IATA International Air Transport Association "International Maritime Dangerous Goods Code" for the transport of dangerous goods by sea IMDG LC50 Lethal Concentration to 50 % of a test population (Median Lethal Concentration) Lethal Dose to 50% of a test population (Median Lethal Dose) LD50 NOEC/L No Observed Effect Concentration/Level OECD Organisation for Economic Cooperation and Development PBT Persistent, Bioaccumulative and Toxic substance PNEC Predicted No-Effect Concentration REACH Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals SDS Safety Data Sheet Sewage Treatment Plant STP vPvB Very Persistent and Very Bioaccumulative

Full text of H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2

Safety Data Sheet according to Regulation (EU) 2020/878

Flam. Sol. 2	Flammable solids, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Sensitisation — Skin, category 1	
H228	Flammable solid	
H302	Harmful if swallowed	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H400	Very toxic to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H411	Toxic to aquatic life with long lasting effects	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.