

#### SAFETY DATA SHEET **FOR**

"ERM-AE141"

according to Regulation (EC) No 1907/2006

Version number 3 Issue Date: 01.03.2018 Page: 1/10

# Section 1: Identification of the substance/mixture and of the company/undertaking

#### Product identifier

Product name: ERM-AE141

Product information: Platinum aqueous solution in 20 % hydrochloric acid with an approximate

Pt mass fraction of 20 µg/g and a total volume of 7 mL in flame-sealed

quartz ampoules

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Certified Reference Material to be used for spiking samples in isotope dilution mass spectrometry for the quantification of Pt mass fractions. Any other use is discouraged.

### 1.3. Details of the supplier of the safety data sheet

Supplier / Producer: Bundesanstalt für Materialforschung und -prüfung (BAM)

Unter den Eichen 87, 12205 Berlin, Germany

Phone: +49 (0)30 8104-0 Fax: +49 (0)30 8104-7-2222 Homepage: www.bam.de E-Mail: info@bam.de

Contact person: Dr. Jochen Vogl, e-mail: jochen.vogl@bam.de Issuing person: Dr. Jochen Vogl, e-mail: jochen.vogl@bam.de

#### 1.4. Emergency telephone number

+49 (0)30 30686700 Emergency telephone:

Giftnotruf Berlin

Charité-Universitätsmedizin Berlin Campus Beniamin Franklin Hindenburgdamm 30

12203 Berlin

To avoid language problems and in case of nonavailability it is recommended to contact your national poison control centre. A list of national poison control centres inside the EU can be obtained at:

http://ec.europa.eu/growth/sectors/chemicals/poison-centres/index en.htm

For poison centres outside the EU the information is listed at the world

directory of poison control centres at the WHO homepage:

http://www.who.int/gho/phe/chemical\_safety/poisons\_centres/en/

#### 2. Hazards identification

#### 2.1. Classification of the substance or mixture

Classification (Regulation (EC) No 1272/2008)

Skin Irritation, Category 2 H315: Causes skin irritation

Eye Irritation, Category 2 H319: Causes serious eye irritation STOT SE 3 H335: May cause respiratory irritation

Corrosive to metals, Category 1 H290: May be corrosive to metals

Classification (67/548/EEC or 1999/45/EC)

Χi R36: Irritating to eyes



### SAFETY DATA SHEET

**FOR** 

"ERM-AE141"

according to Regulation (EC) No 1907/2006

Version number 3 Issue Date: 01.03.2018 Page: 2/10

R37: Irritating to respiratory system

R38: Irritating to skin

Cut-off value for hexachloroplatinic acid is the generic cut-off value of 0.1 %, as no other value is stated in Annex VI of council regulation EC 1272/2008. Components of mixtures with mass fractions below the cut-off value need not being considered for classification. The mass fraction of hexachloroplatinic acid is < 0.005 % and thus below the cut-off value. The classification therefore derives from hydrochloric acid with c = 20 %.

#### 2.2. Label elements

### Labelling according to Regulation (EC) No 1272/2008:

Hazard pictogram:



Signal word:

Danger

#### Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation
H335 May cause respiratory irritation
H290 May be corrosive to metals

#### Precautionary statements:

P261 Avoid breathing dust/fume/ gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomitting

P304 + P340 IF INHALED: Remove victim to fresh air and keep art rest in a position

comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/ doctor if you feel unwell

Restricted to professional users.

For the full text of the H-Statements as well as S- and R-phrases mentioned in this Section, see Section 16.

# Section 3: Composition/information on ingredients

#### 3.1. Substances

Does not apply. Product is prepared as mixture from substances listed under section 3.2.

#### 3.2. Mixtures

Chemical nature: Platinum chloride in hydrochloric acid solution.



### SAFETY DATA SHEET

**FOR** 

"ERM-AE141"

according to Regulation (EC) No 1907/2006

Version number 3 Issue Date: 01.03.2018 Page: 3/10

#### Hazardous components (Regulation (EC) No 1272/2008)

Chemical Name (Concentration)

CAS-No. EC-No./Registration Index-No. Classification of the pure component

number

Hydrochloric acid (>= 10 % -=<25 %)

7647-01-0 231-595-7 017-002-01-X Skin irritation 2, H315

Eye irritation 2, H319 STOT SE 3, H335

Corrosive to metals, Category 1, H290

Hexachloroplatinic acid (classification of pure substance)

16941-12-1 241-010-7 078-009-00-4 Acute toxicity, Category 3, H301

Skin corrosion, Category 1B, H314

Respiratory sensitization, Category 1, H334

Skin sensitization, Category 1, H317

Cut-off value for hexachloroplatinic acid is the generic cut-off value of 0.1 %, as no other value is stated in Annex VI of council regulation EC 1272/2008. Components of mixtures with mass fractions below the cut-off value need not being considered for classification.

#### Hazardous components (67/548/EEC)

Chemical Name (Concentration)

CAS-No. EC-No./Registration Index-No. Classification of the pure component

Number

Hydrochloric acid (>= 10 % -=<25 %)

7647-01-0 231-595-7 017-002-01-X Xi, R36/37/38

Hexachloroplatinic acid (classification of pure substance)

16941-12-1 241-010-7 078-009-00-4 Toxic, R25

Corrosive, R34

R42/43

Cut-off value for hexachloroplatinic acid is the generic cut-off value of 0.1 %, as no other value is stated in Annex VI of council regulation EC 1272/2008. Components of mixtures with mass fractions below the cut-off value need not being considered for classification.

For the full text of the R-phrases mentioned in this Section, see Section 16.

#### **Section 4: First aid measures**

### 4.1. Description of first aid measures

After inhalation: fresh air. Consult doctor in case of complaints.

After skin contact: wash off with plenty of water. Remove contaminated clothing.

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

After swallowing: immediately make victim drink water (two glasses at the most). Consult a physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Headache, Stomach ache Risk of severe eye damage, risk of breathing dysfunction



### SAFETY DATA SHEET

**FOR** 

"ERM-AE141"

according to Regulation (EC) No 1907/2006

Version number 3 Issue Date: 01.03.2018 Page: 4/10

#### 4.3. Indication of any immediate medical attention and special treatment needed

No information available

# Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. For this substance / mixture no restrictions on extinguishing media are known.

#### 5.2. Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours (hydrogen chloride gas).

#### 5.3. Advice for fire fighters

Do not stay in dangerous zone without self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Further information

Suppress gases/vapours with a water spray jet. Prevent fire extinguishing water from contamination surface water or the ground water system.

#### **Section 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergence procedures

Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation.

Wear protective glasses and gloves. See section 8

#### 6.2. Environmental precautions

Do not empty into drains.

#### 6.3. Methods and materials for containment and cleaning up

Take up with liquid-absorbent and neutralizing material. Forward for disposal. Clean up affected area.

#### 6.4. Reference to other sections

Information on disposal see section 13.

#### Section 7: Handling and storage

### 7.1. Precautions for safe handling

Work under hood. Do not inhale substance. Avoid generation of vapours/aerosols. Observe label precautions. Wear protective equipment, see section 8

Keep general hygiene standards for laboratories.

#### 7.2. Conditions for safe storage, including any incompatibilities

Not use metal containers. Keep container tightly closed. Keep in a well-ventilated place.



SAFETY DATA SHEET FOR

"ERM-AE141"

according to Regulation (EC) No 1907/2006

Version number 3 Issue Date: 01.03.2018 Page: 5/10

#### 7.3. Specific end use

Not applicable

# Section 8: Exposure controls/personal protection

# 8.1. Control parameters

Components with workplace parameters

Components

Basis Value Threshold limits Remarks

Hydrochloric acid (7647-01-0)

Directive 2000/39/EC Short Term Exposure

Limit (STEL): 15 mg/m³ (10 ppm) 15 minutes

Occupational exposure

limit value 8h 8 mg/m³ (5 ppm) 8 h average

Platinum compounds

EH40 WEL Occupational exposure

limit value 8h 2 µg/m³ (2 ppb) 8 h average

#### Recommended monitoring procedures

Methods for measurement of the workplace atmosphere have to correspond to the requirements of standards DIN EN 482 and DIN EN 689.

#### 8.2. Exposure controls

Personal protective equipment

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Hand protection:

Full contact: Glove material: Latex or polyvinylchloride; nitrile rubber

Glove thickness: 0. 5 mm; 0.11 mm

Break through time: > 8 h

Splash contact: Glove material: Latex or polyvinylchloride; nitrile rubber

Glove thickness: 0.5 mm; 0.11 mm

Break through time: > 8 h

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the resultant standard EN374.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves.

Eye protection:

Safety glasses

Hygiene measures:

Immediately change contaminated clothing. Apply skin-protective barrier cream. Wash hands and face after working with substance.



### SAFETY DATA SHEET

**FOR** 

"ERM-AE141"

according to Regulation (EC) No 1907/2006

Version number 3 Issue Date: 01.03.2018 Page: 6/10

# **Section 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance colourless liquid
Odour slightly pungent

Odour threshold no information available

pH < 0 at 20 °C, for the hydrochloric acid component,

literature data

Melting point/freezing point between 0 °C and -30 °C

Initial boiling point and boiling range > 80°C

Flash point not required, inorganic substance

Evaporation rate no data available
Flammability not combustible
Upper/lower flammability or explosive limits no data available
Vapour pressure no data available
Vapour density no data available

Relative density ca. 1.098 g/cm<sup>3</sup> at 20 °C, based on tabulated data for

Solubility(ies) water soluble
Partition coefficient: n-octanol/water no data available
Auto-ignition temperature no data available
Decomposition temperature no data available
Viscosity no data available

Explosive properties not classified as explosive

Oxidizing properties not oxidizing

9.2. Other information

No other information available.

### Section 10: Stability and reactivity

#### 10.1. Reactivity

See section 10.3.

#### 10.2. Chemical stability

Stable under normal storage conditions (0 – 40 °C)

#### 10.3. Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with:

Metals

Violent reactions possible with generally known reaction partners of water.

#### 10.4. Conditions to avoid

No information available

### 10.5. Incompatible materials

Increased reactivity with:

Metals, metal alloys, Alkali metals, Alkaline earth metals, Ammonia, alkalines, acids



# SAFETY DATA SHEET

**FOR** 

"ERM-AE141"

according to Regulation (EC) No 1907/2006

Version number 3 Issue Date: 01.03.2018 Page: 7/10

Unsuitable working materials:

Metals, metal alloys

#### 10.6. Hazardous decomposition products

no information available

# Section 11: Toxicological information

### 11.1. Information on toxicological effects

Acute oral toxicity:

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute inhalation toxicity

Symptoms: mucosal irritations, cough, shortness of breath, possible damage of respiratory tract.

Acute dermal toxicity

This information is not available.

Skin irritation:

Causes skin irritation.

Serious eye damage/irritation:

Causes serious eye irritation.

Respiratory or skin sensitization:

Sensitization possible in predisposed persons.

Carcinogenicity

This information is not available.

Germ cell mutagenicity

This information is not available.

Reproductive toxicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

#### 11.2. Further information

CMR effects:

Carcinogenicity:

This information is not available.

Quantitative data on the toxicity of this product are not available.

Handle in accordance with good industrial hygiene and safety practice.



### **SAFETY DATA SHEET**

**FOR** 

"ERM-AE141"

according to Regulation (EC) No 1907/2006

Version number 3 Issue Date: 01.03.2018 Page: 8/10

# **Section 12: Ecological information**

### 12.1. Toxicity

No information available.

### 12.2. Persistence and degradability

No information available.

#### 12.3. Bio accumulative potential

No information available.

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

No information available.

#### 12.6. Other adverse effects

No information available.

Further information on ecology

Do not allow to enter waters, waste water, or soil!

### **Section 13: Disposal considerations**

#### 13.1. Waste treatment methods

**Product** 

Chemicals must be disposed of in compliance with the Directive on waste 2008/98/EC as well as other respective national regulations. Handle uncleaned containers like the product itself.

Packaging

The product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

# **Section 14: Transport information**

#### Land transport (ADR/RID)

**14.1. UN number** 1789

**14.2. UN proper shipping name** HYDROCHLORIC ACID

#### Inland waterway transport (ADN)

Not relevant



### SAFETY DATA SHEET

**FOR** 

"ERM-AE141"

according to Regulation (EC) No 1907/2006

Version number 3 Issue Date: 01.03.2018 Page: 9/10

#### Air transport (IATA/ICAO)

**14.1. UN number** 1789

**14.2. UN proper shipping name** HYDROCHLORIC ACID

14.3. Transport hazard class(es)
14.4. Packing group
14.5 Environmental hazards
14.6. Special precautions for users

#### Sea transport (IMDG)

**14.1. UN number** 1789

**14.2. UN proper shipping name** HYDROCHLORIC ACID

14.3. Transport hazard class(es)
14.4. Packing group
14.5 Environmental hazards
14.6. Special precautions for users
yes

EmS F-A S-B

14.7. Transport in bulk according to Annex II of Marpol 73/78 and the IBC code

Not relevant

#### **Additional Transport Information:**

Product ERM-AE141 fulfils the limits for excepted quantities according to ADR and IMDG:

ADR: Limited quantity (LQ): 1 L

Excepted quantity (EQ) Code: E2 maximum net quantity per inner packaging: 30 mL

maximum net quantity per outer packaging: 500 mL

Transport category 2

Tunnel restriction code E

IMDG Limited quantities (LQ): 1L

Excepted quantities (EQ): E2 maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

The transport regulations are cited according to international regulations and in the form applicable in Germany. Possible national deviations in other countries are not considered.

#### Section 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard 96/82/EC

Legislation Directive 96/82/EC does not apply

Occupational restrictions Take note of Directive 94/33/EC on the protection of young people at

work



# SAFETY DATA SHEET

FOR

"ERM-AE141"

according to Regulation (EC) No 1907/2006

Version number 3 Issue Date: 01.03.2018 Page: 10/10

National legislation

Storage class (TRGS 510): 8B

#### 15.2 Chemical safety assessment

For this product a chemical safety assessment is not required and therefore was not carried out.

# **Section 16: Other information**

Full text of H-Statements referred to under sections 2 and 3

H290 May be corrosive to metals

H301 Toxic if swallowed

H314 Causes severe skin burns and eye damage

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 May cause respiratory irritation

Full text of R-phrases referred to under sections 2 and 3

R25 Toxic if swallowed R34 Causes burns

R36/37/38 Irritating to eyes, respiratory system and skin

R42/43 May cause sensitization by inhalation and skin contact

Full text of S-phrases referred to under sections 2 and 3

S26 In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

S45 In case of accident or if you feel unwell seek medical advice immediately.

Release management: Regulation (EC) No 453/2010

The information contained herein is based on data considered to be accurate and on the present state of our knowledge. It characterizes the sample with regard to the appropriate safety precautions. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof.