

CERTIFICATE OF ANALYSIS

ERM[®]-AE141

Pt, enriched in ¹⁹⁴Pt, in 20 % hydrochloric acid			
Certified quantity	Unit	Certified value ¹⁾	Uncertainty ²⁾
Mass fraction $w(^{194}\text{Pt})$	mg/kg	18.18	0.11
Isotope amount ratio $n(^{190}\text{Pt})/n(^{194}\text{Pt})$	-	0.0000012	0.0000006
Isotope amount ratio $n(^{192}\text{Pt})/n(^{194}\text{Pt})$	-	0.000342	0.000004
Isotope amount ratio $n(^{195}\text{Pt})/n(^{194}\text{Pt})$	-	0.0739	0.0008
Isotope amount ratio $n(^{196}\text{Pt})/n(^{194}\text{Pt})$	-	0.01749	0.00021
Isotope amount ratio $n(^{198}\text{Pt})/n(^{194}\text{Pt})$	-	0.002022	0.000029

1) The certified values of this European Reference Material (ERM) are traceable to the International System of units (SI) in the shortest possible way, by calibrating all instruments (balance, mass spectrometer) against SI-traceable calibrators. Measurements calibrated against this ERM will, therefore, also be traceable to the SI.

2) The uncertainty of the certified value is the expanded uncertainty U with a coverage factor of $k = 2$ corresponding to a level of confidence of about 95 % estimated in accordance with international guidelines such as JCGM 100:2008 and EURACHEM/CITAC 2012; this includes the repeatability of the measurement and of the determination of correction factors for systematic deviations. Standard uncertainties can be obtained from the certification report.

This certificate is valid for 10 years for units with unbroken seal stored under required conditions. This validity may be extended as further evidence of stability becomes available.

NOTE

European Reference Material ERM[®]-AE141 was produced and certified under the responsibility of BAM Bundesanstalt für Materialforschung und -prüfung according to the principles laid down in the technical guidelines of the European Reference Materials[®] co-operation agreement between BAM-LGC-IRMM. Information on these guidelines is available on the Internet (<http://www.erm-crm.org>).

Accepted as an ERM[®], Berlin, Germany, January 2015

BAM Department 1
Analytical Chemistry;
Reference Materials

BAM Division 1.1
Inorganic Trace Analysis

Prof. Dr. U. Panne
(Head of Department)

Dr. N. Jakubowski
(Head of Division)

Indicative Values			
Quantity	Unit	Value ¹⁾	Uncertainty ²⁾
Mass fraction $w(\text{Pt})$	mg/kg	19.90	0.12
Isotope amount fraction $n(^{190}\text{Pt})/n(\text{Pt})$	-	0.0000011	0.0000006
Isotope amount fraction $n(^{192}\text{Pt})/n(\text{Pt})$	-	0.000312	0.000004
Isotope amount fraction $n(^{194}\text{Pt})/n(\text{Pt})$	-	0.9143	0.0008
Isotope amount fraction $n(^{195}\text{Pt})/n(\text{Pt})$	-	0.0676	0.0006
Isotope amount fraction $n(^{196}\text{Pt})/n(\text{Pt})$	-	0.01599	0.00019
Isotope amount fraction $n(^{198}\text{Pt})/n(\text{Pt})$	-	0.001849	0.000026
Molar mass of Pt in solution $M(\text{Pt})$	g/mol	194.0692	0.0010

1) The atomic masses used for the indicative values were taken from De Laeter et al. 2003.
2) The uncertainties of the indicative values are the expanded uncertainties U with a coverage factor of $k=2$ corresponding to a level of confidence of about 95 % estimated in accordance with international guidelines such as JCGM 100:2008 and EURACHEM/CITAC 2012.

When Pt in the **sample shows no isotope variation** against the IUPAC values the measurement uncertainty can be reduced by applying a quasi double IDMS analysis. The isotopic composition of Pt in the used back-spikes and the isotopic composition of Pt in the sample are equal and cancel when the equations of IDMS and reverse IDMS are combined to the double IDMS equation. To offer the analyst this quasi double IDMS approach, the Pt mass fractions in ERM-AE141 was calculated with treating the IUPAC values for the molar mass in the back-spike and the isotopic abundance of ^{194}Pt in the back-spike as constants. The so calculated mass fractions can be used for Pt quantification by IDMS, when the same IUPAC values were used as constants. It has to be stressed here, that this quasi double IDMS approach only is valid, when **no isotopic variation** of the Pt in the sample occurs.

Derived quantity values for quasi-double IDMS. The expanded uncertainties ($k=2$) were calculated with IUPAC values treated as constant: The isotope amount fraction $n(^{194}\text{Pt})/n(\text{Pt}) = 0.3286$ (Berglund and Wieser 2011) and the atomic weight $A_r(\text{P}) = 195.084$ (Wieser et al. 2013) have been used.

Additional Material Information			
Quantity	Unit	Value	Uncertainty
Mass fraction $w(^{194}\text{Pt})$	mg/kg	18.184	0.012
Mass fraction $w(\text{Pt})$	mg/kg	19.900	0.021

DESCRIPTION OF THE SAMPLE

The spike isotopic reference material ERM-AE141 is a solution of isotopically enriched Pt in 20 % hydrochloric acid and filled in flame-sealed quartz ampoules containing approximately 7 mL solution. This material is designed to serve as isotopically enriched analogue or so-called spike in Isotope Dilution Mass Spectrometry (IDMS) for the quantification of Pt.

ANALYTICAL METHOD USED FOR CERTIFICATION

The certified values were determined by reverse IDMS using multi-collector ICPMS. The measurements were calibrated using high purity Pt for the preparation of the back-spike. More details can be found in the certification report, which can be requested from BAM.

PARTICIPANTS

BAM Division 1.1

INSTRUCTIONS FOR USE

The ampoule should be shaken for some minutes before opening in order to combine the solution with potential water condensation in the neck, which may occur when stored upright for a longer time. Transfer of the solution to another container preferentially should be done by pouring. Contamination may occur when pipettes or other liquid handling devices are used for this purpose. Therefore it is recommended to use only pre-cleaned devices or labware. Contamination could lead to a change in the isotope composition.

When an ampoule is to be opened, the whole ampoule should be carefully wiped with a clean, damp cloth and the body of the ampoule should be wrapped in absorbent material (e.g. clean cloth). Then an ampoule file with a diamond or WIDIA blade is used to score the neck of the ampoule with a quarter to a half circle. Holding the ampoule steady and with both hands, medium thumb pressure should be applied with both thumbs to the stem to snap it. Correctly done, the stem should break where scored.

SAFETY INFORMATION

The usual laboratory safety precautions apply.

ERM-AE141 is an acidic solution sealed in quartz ampoules, which contains 20 % hydrochloric acid. All appropriate safety precautions, including the use of gloves and safety glasses, should be taken.

STORAGE

This CRM should be stored under normal laboratory conditions (between 5 °C and 25 °C) at places, where the risk of mechanical damage is low.

BAM cannot be held responsible for changes that happen during storage of the material at the customer's premises, especially of opened samples.

REFERENCES

Berglund, M. and Wieser, M. E., 2011. Isotopic compositions of the elements 2009 (IUPAC Technical Report). Pure Appl. Chem. 83, 397-410.

De Laeter, J. R., Bohlke, J. K., De Bièvre, P., Hidaka, H., Peiser, H. S., Rosman, K. J. R., and Taylor, P. D. P., 2003. Atomic weights of the elements: Review 2000 - (IUPAC technical report). Pure Appl. Chem. 75, 683-800.

Wieser, M. E., Holden, N., Coplen, T. B., Böhlke, J. K., Berglund, M., Brand, W. A., De Bièvre, P., Gröning, M., Loss, R. D., Meija, J., Hirata, T., Prohaska, T., Schoenberg, R., O'Connor, G., Walczyk, T., Yoneda, S., and Zhu, X. K., 2013. Atomic weights of the elements 2011 (IUPAC Technical Report). Pure Appl. Chem. 85, 1047-1078.

LEGAL NOTICE

Neither BAM, its contractors nor any person acting on their behalf:

- (a) make any warranty or representation, express or implied, that the use of any information, material, apparatus, method or process disclosed in this document does not infringe any privately owned intellectual property rights; or
- (b) assume any liability with respect to, or for damages resulting from, the use of any information, material, apparatus, method or process disclosed in this document save for loss or damage arising solely and directly from the negligence of BAM.

NOTE

A detailed technical report describing the production, characterisation as well as the analytical procedures applied and the treatment of the analytical data used to certify ERM[®]-AE141 is available on request from BAM (http://www.rm-certificates.bam.de/de/certificates/isotopic_materials/index.htm).

Supply of Reference Materials by:
BAM Bundesanstalt für Materialforschung und -prüfung
Richard-Willstätter-Str. 11, D-12489 Berlin, Germany
Phone: +49 30 8104 2061 – Fax: +49 30 8104 1117
e-mail: sales.crm@bam.de – internet: www.bam.de

SAFETY DATA SHEET

FOR

“ERM-AE141”

according to Regulation (EC) No 1907/2006

Version number 3

Issue Date: 01.03.2018

Page: 1/10

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: ERM-AE141
Product information: Platinum aqueous solution in 20 % hydrochloric acid with an approximate Pt mass fraction of 20 µg/g and a total volume of 7 mL in flame-sealed quartz ampoules

1.2. Relevant identified uses of the substance or mixture and uses advised against

Certified Reference Material to be used for spiking samples in isotope dilution mass spectrometry for the quantification of Pt mass fractions. Any other use is discouraged.

1.3. Details of the supplier of the safety data sheet

Supplier / Producer: Bundesanstalt für Materialforschung und -prüfung (BAM)
Unter den Eichen 87, 12205 Berlin, Germany
Phone: +49 (0)30 8104-0
Fax: +49 (0)30 8104-7-2222
Homepage: www.bam.de
E-Mail: info@bam.de
Contact person: Dr. Jochen Vogl, e-mail: jochen.vogl@bam.de
Issuing person: Dr. Jochen Vogl, e-mail: jochen.vogl@bam.de

1.4. Emergency telephone number

Emergency telephone: +49 (0)30 30686700
Giftnotruf Berlin
Charité-Universitätsmedizin Berlin
Campus Benjamin Franklin
Hindenburgdamm 30
12203 Berlin

To avoid language problems and in case of nonavailability it is recommended to contact your national poison control centre. A list of national poison control centres inside the EU can be obtained at: http://ec.europa.eu/growth/sectors/chemicals/poison-centres/index_en.htm

For poison centres outside the EU the information is listed at the world directory of poison control centres at the WHO homepage: http://www.who.int/gho/phe/chemical_safety/poisons_centres/en/

2. Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No 1272/2008)

Skin Irritation, Category 2	H315: Causes skin irritation
Eye Irritation, Category 2	H319: Causes serious eye irritation
STOT SE 3	H335: May cause respiratory irritation
Corrosive to metals, Category 1	H290: May be corrosive to metals

Classification (67/548/EEC or 1999/45/EC)

Xi R36: Irritating to eyes

SAFETY DATA SHEET

FOR

“ERM-AE141”

according to Regulation (EC) No 1907/2006

Version number 3

Issue Date: 01.03.2018

Page: 2/10

R37: Irritating to respiratory system

R38: Irritating to skin

Cut-off value for hexachloroplatinic acid is the generic cut-off value of 0.1 %, as no other value is stated in Annex VI of council regulation EC 1272/2008. Components of mixtures with mass fractions below the cut-off value need not being considered for classification. The mass fraction of hexachloroplatinic acid is < 0.005 % and thus below the cut-off value. The classification therefore derives from hydrochloric acid with c = 20 %.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Hazard pictogram:



Signal word:

Danger

Hazard statements:

H315	Causes skin irritation.
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H290	May be corrosive to metals

Precautionary statements:

P261	Avoid breathing dust/fume/ gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/ doctor if you feel unwell

Restricted to professional users.

For the full text of the H-Statements as well as S- and R-phrases mentioned in this Section, see Section 16.

Section 3: Composition/information on ingredients

3.1. Substances

Does not apply. Product is prepared as mixture from substances listed under section 3.2.

3.2. Mixtures

Chemical nature: Platinum chloride in hydrochloric acid solution.

SAFETY DATA SHEET

FOR

“ERM-AE141”

according to Regulation (EC) No 1907/2006

Version number 3

Issue Date: 01.03.2018

Page: 3/10

Hazardous components (Regulation (EC) No 1272/2008)

Chemical Name (Concentration)

CAS-No.	EC-No./Registration number	Index-No.	Classification of the pure component
---------	----------------------------	-----------	--------------------------------------

Hydrochloric acid ($\geq 10\%$ - $\leq 25\%$)

7647-01-0	231-595-7	017-002-01-X	Skin irritation 2, H315 Eye irritation 2, H319 STOT SE 3, H335 Corrosive to metals, Category 1, H290
-----------	-----------	--------------	---

Hexachloroplatinic acid (classification of pure substance)

16941-12-1	241-010-7	078-009-00-4	Acute toxicity, Category 3, H301 Skin corrosion, Category 1B, H314 Respiratory sensitization, Category 1, H334 Skin sensitization, Category 1, H317
------------	-----------	--------------	--

Cut-off value for hexachloroplatinic acid is the generic cut-off value of 0.1 %, as no other value is stated in Annex VI of council regulation EC 1272/2008. Components of mixtures with mass fractions below the cut-off value need not being considered for classification.

Hazardous components (67/548/EEC)

Chemical Name (Concentration)

CAS-No.	EC-No./Registration Number	Index-No.	Classification of the pure component
---------	----------------------------	-----------	--------------------------------------

Hydrochloric acid ($\geq 10\%$ - $\leq 25\%$)

7647-01-0	231-595-7	017-002-01-X	Xi, R36/37/38
-----------	-----------	--------------	---------------

Hexachloroplatinic acid (classification of pure substance)

16941-12-1	241-010-7	078-009-00-4	Toxic, R25 Corrosive, R34 R42/43
------------	-----------	--------------	--

Cut-off value for hexachloroplatinic acid is the generic cut-off value of 0.1 %, as no other value is stated in Annex VI of council regulation EC 1272/2008. Components of mixtures with mass fractions below the cut-off value need not being considered for classification.

For the full text of the R-phrases mentioned in this Section, see Section 16.

Section 4: First aid measures

4.1. Description of first aid measures

After inhalation: fresh air. Consult doctor in case of complaints.

After skin contact: wash off with plenty of water. Remove contaminated clothing.

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

After swallowing: immediately make victim drink water (two glasses at the most). Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Headache, Stomach ache

Risk of severe eye damage, risk of breathing dysfunction

4.3. Indication of any immediate medical attention and special treatment needed

No information available

Section 5: Fire-fighting measures

5.1. Extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. For this substance / mixture no restrictions on extinguishing media are known.

5.2. Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours (hydrogen chloride gas).

5.3. Advice for fire fighters

Do not stay in dangerous zone without self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Further information

Suppress gases/vapours with a water spray jet. Prevent fire extinguishing water from contamination surface water or the ground water system.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergence procedures

Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation.

Wear protective glasses and gloves. See section 8

6.2. Environmental precautions

Do not empty into drains.

6.3. Methods and materials for containment and cleaning up

Take up with liquid-absorbent and neutralizing material. Forward for disposal. Clean up affected area.

6.4. Reference to other sections

Information on disposal see section 13.

Section 7: Handling and storage

7.1. Precautions for safe handling

Work under hood. Do not inhale substance. Avoid generation of vapours/aerosols. Observe label precautions. Wear protective equipment, see section 8

Keep general hygiene standards for laboratories.

7.2. Conditions for safe storage, including any incompatibilities

Not use metal containers. Keep container tightly closed. Keep in a well-ventilated place.

SAFETY DATA SHEET

FOR

“ERM-AE141”

according to Regulation (EC) No 1907/2006

Version number 3

Issue Date: 01.03.2018

Page: 5/10

7.3. Specific end use

Not applicable

Section 8: Exposure controls/personal protection

8.1. Control parameters

Components with workplace parameters

Components

Basis	Value	Threshold limits	Remarks
<i>Hydrochloric acid (7647-01-0)</i>			
Directive 2000/39/EC	Short Term Exposure Limit (STEL): Occupational exposure limit value 8h	15 mg/m ³ (10 ppm) 8 mg/m ³ (5 ppm)	15 minutes 8 h average
<i>Platinum compounds</i>			
EH40 WEL	Occupational exposure limit value 8h	2 µg/m ³ (2 ppb)	8 h average

Recommended monitoring procedures

Methods for measurement of the workplace atmosphere have to correspond to the requirements of standards DIN EN 482 and DIN EN 689.

8.2. Exposure controls

Personal protective equipment

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Hand protection:

Full contact:	Glove material:	Latex or polyvinylchloride; nitrile rubber
	Glove thickness:	0.5 mm; 0.11 mm
	Break through time:	> 8 h
Splash contact:	Glove material:	Latex or polyvinylchloride; nitrile rubber
	Glove thickness:	0.5 mm; 0.11 mm
	Break through time:	> 8 h

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the resultant standard EN374.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves.

Eye protection:

Safety glasses

Hygiene measures:

Immediately change contaminated clothing. Apply skin-protective barrier cream. Wash hands and face after working with substance.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	colourless liquid
Odour	slightly pungent
Odour threshold	no information available
pH	< 0 at 20 °C, for the hydrochloric acid component, literature data
Melting point/freezing point	between 0 °C and -30 °C
Initial boiling point and boiling range	> 80°C
Flash point	not required, inorganic substance
Evaporation rate	no data available
Flammability	not combustible
Upper/lower flammability or explosive limits	no data available
Vapour pressure	no data available
Vapour density	no data available
Relative density	ca. 1.098 g/cm ³ at 20 °C, based on tabulated data for
Solubility(ies)	water soluble
Partition coefficient: n-octanol/water	no data available
Auto-ignition temperature	no data available
Decomposition temperature	no data available
Viscosity	no data available
Explosive properties	not classified as explosive
Oxidizing properties	not oxidizing

9.2. Other information

No other information available.

Section 10: Stability and reactivity

10.1. Reactivity

See section 10.3.

10.2. Chemical stability

Stable under normal storage conditions (0 – 40 °C)

10.3. Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with:

Metals

Violent reactions possible with generally known reaction partners of water.

10.4. Conditions to avoid

No information available

10.5. Incompatible materials

Increased reactivity with:

Metals, metal alloys, Alkali metals, Alkaline earth metals, Ammonia, alkalines, acids

SAFETY DATA SHEET

FOR

“ERM-AE141”

according to Regulation (EC) No 1907/2006

Version number 3

Issue Date: 01.03.2018

Page: 7/10

Unsuitable working materials:

Metals, metal alloys

10.6. Hazardous decomposition products

no information available

Section 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity:

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute inhalation toxicity

Symptoms: mucosal irritations, cough, shortness of breath, possible damage of respiratory tract.

Acute dermal toxicity

This information is not available.

Skin irritation:

Causes skin irritation.

Serious eye damage/irritation:

Causes serious eye irritation.

Respiratory or skin sensitization:

Sensitization possible in predisposed persons.

Carcinogenicity

This information is not available.

Germ cell mutagenicity

This information is not available.

Reproductive toxicity

This information is not available.

Specific target organ toxicity – single exposure

This information is not available.

Specific target organ toxicity – repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2. Further information

CMR effects:

Carcinogenicity:

This information is not available.

Quantitative data on the toxicity of this product are not available.

Handle in accordance with good industrial hygiene and safety practice.

Section 12: Ecological information

12.1. Toxicity

No information available.

12.2. Persistence and degradability

No information available.

12.3. Bio accumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available.

Further information on ecology

Do not allow to enter waters, waste water, or soil!

Section 13: Disposal considerations

13.1. Waste treatment methods

Product

Chemicals must be disposed of in compliance with the Directive on waste 2008/98/EC as well as other respective national regulations. Handle uncleaned containers like the product itself.

Packaging

The product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

Section 14: Transport information

Land transport (ADR/RID)

14.1. UN number	1789
14.2. UN proper shipping name	HYDROCHLORIC ACID
14.3. Transport hazard class(es)	8
14.4. Packing group	II
14.5. Environmental hazards	--
14.6. Special precautions for users	yes
Tunnel restriction code	E

Inland waterway transport (ADN)

Not relevant

SAFETY DATA SHEET

FOR

“ERM-AE141”

according to Regulation (EC) No 1907/2006

Version number 3

Issue Date: 01.03.2018

Page: 9/10

Air transport (IATA/ICAO)

14.1. UN number	1789
14.2. UN proper shipping name	HYDROCHLORIC ACID
14.3. Transport hazard class(es)	8
14.4. Packing group	II
14.5. Environmental hazards	- -
14.6. Special precautions for users	no

Sea transport (IMDG)

14.1. UN number	1789
14.2. UN proper shipping name	HYDROCHLORIC ACID
14.3. Transport hazard class(es)	8
14.4. Packing group	II
14.5. Environmental hazards	- -
14.6. Special precautions for users	yes
EmS	F-A S-B
14.7. Transport in bulk according to Annex II of Marpol 73/78 and the IBC code	Not relevant

Additional Transport Information:

Product ERM-AE141 fulfils the limits for excepted quantities according to ADR and IMDG:

ADR:	Limited quantity (LQ):	1 L	
	Excepted quantity (EQ) Code:	E2	maximum net quantity per inner packaging: 30 mL maximum net quantity per outer packaging: 500 mL
Transport category		2	
Tunnel restriction code		E	
IMDG	Limited quantities (LQ):	1L	
	Excepted quantities (EQ):	E2	maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

The transport regulations are cited according to international regulations and in the form applicable in Germany. Possible national deviations in other countries are not considered.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard	96/82/EC
Legislation	Directive 96/82/EC does not apply
Occupational restrictions	Take note of Directive 94/33/EC on the protection of young people at work

SAFETY DATA SHEET

FOR

“ERM-AE141”

according to Regulation (EC) No 1907/2006

Version number 3

Issue Date: 01.03.2018

Page: 10/10

National legislation

Storage class (TRGS 510): 8B

15.2 Chemical safety assessment

For this product a chemical safety assessment is not required and therefore was not carried out.

Section 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H290	May be corrosive to metals
H301	Toxic if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation

Full text of R-phrases referred to under sections 2 and 3

R25	Toxic if swallowed
R34	Causes burns
R36/37/38	Irritating to eyes, respiratory system and skin
R42/43	May cause sensitization by inhalation and skin contact

Full text of S-phrases referred to under sections 2 and 3

S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S45	In case of accident or if you feel unwell seek medical advice immediately.

Release management: Regulation (EC) No 453/2010

The information contained herein is based on data considered to be accurate and on the present state of our knowledge. It characterizes the sample with regard to the appropriate safety precautions. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof.