

SAFETY DATA SHEET

FOR

“BAM-I012”

according to Regulation (EC) No 1907/2006

Version number 4

Issue Date: 23.10.2018

Page: 1/10

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: BAM-I012
Product information: Cadmium aqueous solution in 6 % nitric acid (1 mol/L) with an approximate Cd mass fraction of 994 µg/g and a total volume of 7 mL in flame-sealed quartz ampoules

1.2. Relevant identified uses of the substance or mixture and uses advised against

Primary isotopic reference material, designed for calibration of cadmium isotope ratio measurements of all types. Any other use is discouraged.

1.3. Details of the supplier of the safety data sheet

Supplier / Producer: Bundesanstalt für Materialforschung und -prüfung (BAM)
Unter den Eichen 87, 12205 Berlin, Germany
Phone: +49 (0)30 8104-0
Fax: +49 (0)30 8104-7-2222
Homepage: www.bam.de
E-Mail: info@bam.de

Contact person: Dr. Jochen Vogl, e-mail: jochen.vogl@bam.de

Issuing person: Dr. Jochen Vogl, e-mail: jochen.vogl@bam.de

1.4. Emergency telephone number

Emergency telephone: +49 (0)30 30686700
Giftnotruf Berlin
Charité-Universitätsmedizin Berlin
Campus Benjamin Franklin
Hindenburgdamm 30
12203 Berlin

To avoid language problems and in case of nonavailability it is recommended to contact your national poison control centre. A list of national poison control centres inside the EU can be obtained at: http://ec.europa.eu/growth/sectors/chemicals/poison-centres/index_en.htm

For poison centres outside the EU the information is listed at the world directory of poison control centres at the WHO homepage: http://www.who.int/gho/phe/chemical_safety/poisons_centres/en/

2. Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No 1272/2008)

Corrosive to metals, Category 1	H290: May be corrosive to metals
Skin corrosion, Category 1B	H314: Causes severe skin burns and eye damage
Carcinogenicity, Category 1B	H350: May cause cancer

Classification (67/548/EEC or 1999/45/EC)

C, corrosive	R34: Causes burns
--------------	-------------------

SAFETY DATA SHEET

FOR

“BAM-I012”

according to Regulation (EC) No 1907/2006

Version number 4

Issue Date: 23.10.2018

Page: 2/10

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Hazard pictogram:



Signal word:

Danger

Hazard statements:

- H290 May be corrosive to metals
H314 Causes severe skin burns and eye damage.
H350 May cause cancer

Precautionary statements:

- P273 Avoid release to the environment
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+311 IF exposed or concerned: Call a POISON CENTER or doctor/physician
P363 Wash contaminated clothing before reuse

Restricted to professional users.

For the full text of the H-Statements as well as S- and R-phrases mentioned in this Section, see Section 16.

Section 3: Composition/information on ingredients

3.1. Substances

Does not apply. Product is prepared as mixture from substances listed under section 3.2.

3.2. Mixtures

Chemical nature: Cadmium nitrate in nitric acid solution.

Hazardous components (Regulation (EC) No 1272/2008)

Chemical Name (Concentration)

CAS-No.	EC-No./Registration number	Index-No.	Classification of the pure component
---------	----------------------------	-----------	--------------------------------------

Nitric acid (5 % ≤ c < 20 %)

7697-37-2	231-714-2	007-004-00-1	Oxidising liquid, Category 3, H272 Skin corrosion, Category 1A, H314 Corrosive to metals, Category 1, H290
-----------	-----------	--------------	--

SAFETY DATA SHEET

FOR

“BAM-I012”

according to Regulation (EC) No 1907/2006

Version number 4

Issue Date: 23.10.2018

Page: 3/10

Cadmium nitrate tetrahydrate (0.01 % < c < 0.1 %)

10325-94-7

233-710-6

048-001-00-5

Acute toxicity, Category 3, oral, H301
Acute toxicity, Category 2, inhalation, H330
Reproductive toxicity, Category 1B, H360
Germ cell mutagenicity, Category 1B, H340
Carcinogenicity, Category 1B, H350
Specific Target Organ Toxicity, Cat. 1, H372
Aquatic acute, Category 1, H400
Aquatic chronic, Category 1, H410
M-Factor: 10

Hazardous components (67/548/EEC)

Chemical Name (Concentration)

CAS-No.

EC-No./Registration
Number

Index-No.

Classification of the pure component

Nitric acid (>= 5% -=<20 %)

7697-37-2

231-714-2

007-004-00-1

O; R8
C; R35

Cadmium nitrate tetrahydrate (0.01 % < c < 0.1 %)

10325-94-7

233-710-6

048-001-00-5

Xn, Harmful, R20/21/22
N, Dangerous for the environment, R50/53
M-Factor: 10

For the full text of the R-phrases mentioned in this Section, see Section 16.

Section 4: First aid measures

4.1. Description of first aid measures

After inhalation: fresh air.

After skin contact: wash off with plenty of water. Remove contaminated clothing.

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

After swallowing: immediately make victim drink water (two glasses at the most). Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

Corrosive effect

The following applies to cadmium compounds in general: mucosal irritations, coughing and dyspnoea after inhalation. Inhalation may lead to the formation of oedemas in the respiratory tract. Toxic effect on gastrointestinal tract. Long-term exposure to the chemical results in toxic effect on kidneys, lungs, bones.

4.3. Indication of any immediate medical attention and special treatment needed

No information available

Section 5: Fire-fighting measures

5.1. Extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. For this substance / mixture no restrictions on extinguishing media are known.

SAFETY DATA SHEET

FOR

“BAM-I012”

according to Regulation (EC) No 1907/2006

Version number 4

Issue Date: 23.10.2018

Page: 4/10

5.2. Special hazards arising from the substance or mixture

Not combustible.
Ambient fire may liberate hazardous vapours.

5.3. Advice for fire fighters

Do not stay in dangerous zone without self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Further information

Prevent fire extinguishing water from contamination surface water or the ground water system.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergence procedures

Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation.
Wear protective glasses and gloves. See section 8

6.2. Environmental precautions

Do not empty into drains.

6.3. Methods and materials for containment and cleaning up

Take up with liquid-absorbent and neutralizing material. Forward for disposal. Clean up affected area.

6.4. Reference to other sections

Information on disposal see section 13.

Section 7: Handling and storage

7.1. Precautions for safe handling

Work under hood. Do not inhale substance. Avoid generation of vapours/aerosols. Observe label precautions. Wear protective equipment, see section 8.
Keep general hygiene standards for laboratories.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep in a well-ventilated place. Store at +15 °C to +25 °C.

7.3. Specific end use

Not applicable

Section 8: Exposure controls/personal protection

8.1. Control parameters

Components with workplace parameters

Components

Basis	Value	Threshold limits	Remarks
<i>Nitric acid (7697-37-2)</i> Directive 2006/15/EC	Short Term Exposure Limit (STEL):	2.6 mg/m ³ (1 ppm)	15 minutes

SAFETY DATA SHEET

FOR

“BAM-I012”

according to Regulation (EC) No 1907/2006

Version number 4

Issue Date: 23.10.2018

Page: 5/10

Inorganic cadmium and its compounds

EH40 WEL (2007)

Occupational exposure
limit value 8h

25µ mg/m³

8 h average

Recommended monitoring procedures

Methods for measurement of the workplace atmosphere have to correspond to the requirements of standards DIN EN 482 and DIN EN 689.

8.2. Exposure controls

Personal protective equipment

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Hand protection:

Full contact:	Glove material:	Latex or polyvinylchloride
	Glove thickness:	0.5 mm
	Break through time:	> 8 h
Splash contact:	Glove material:	Latex or polyvinylchloride
	Glove thickness:	0.5 mm
	Break through time:	> 8 h

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the resultant standard EN374.

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves.

Eye protection:

Safety glasses

Respiratory protection:

Required when vapours/aerosols are generated

Hygiene measures:

Immediately change contaminated clothing. Apply skin-protective barrier cream. Wash hands and face after working with substance.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	colourless liquid
Odour	odourless
Odour threshold	No information available
pH	ca. 0 at 20 °C, for the nitric acid component, literature data
Melting point/freezing point	between 0 °C and -10 °C
Initial boiling point and boiling range	between 100 °C and 110 °C at 1013 hPa
Flash point	not required, inorganic substance
Evaporation rate	no data available
Flammability (solid, gas)	not combustible
Upper/lower flammability or explosive limits	no data available

Acute dermal toxicity

This information is not available.

Skin corrosion/irritation:

Mixture causes burns.

Serious eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

Sensitization possible in predisposed persons.

Carcinogenicity

This information is not available.

Germ cell mutagenicity

This information is not available.

Reproductive toxicity

This information is not available.

Specific target organ toxicity – single exposure

This information is not available.

Specific target organ toxicity – repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2. Further information

CMR effects:

Carcinogenicity:

May cause cancer by inhalation.

The following applies to cadmium compounds in general: mucosal irritations, coughing and dyspnoea after inhalation. Inhalation may lead to the formation of oedemas in the respiratory tract. Toxic effect on gastrointestinal tract. Long-term exposure to the chemical results in toxic effect on kidneys, lungs, bones.

Quantitative data on the toxicity of this product are not available.

Handle in accordance with good industrial hygiene and safety practice.

Section 12: Ecological information

12.1. Toxicity

No information available.

12.2. Persistence and degradability

No information available. The methods for determining biological degradability are not applicable to inorganic substances.

12.3. Bio accumulative potential

No information available.

12.4. Mobility in soil

No information available.

SAFETY DATA SHEET

FOR

“BAM-I012”

according to Regulation (EC) No 1907/2006

Version number 4

Issue Date: 23.10.2018

Page: 8/10

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available.

Further information on ecology

Do not allow to enter waters, waste water, or soil!

Section 13: Disposal considerations

13.1. Waste treatment methods

Product

Chemicals must be disposed of in compliance with the respective national regulations.

Packaging

The product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

Section 14: Transport information

Land transport (ADR/RID)

14.1. UN number	3264
14.2. UN proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID MORE THAN 5 % BUT NOT MORE THAN 20 %)
14.3. Transport hazard class(es)	8
14.4. Packing group	II
14.5. Environmental hazards	- -
14.6. Special precautions for users	yes
Tunnel restriction code	E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA/ICAO)

14.1. UN number	3264
14.2. UN proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID MORE THAN 5 % BUT NOT MORE THAN 20 %)
14.3. Transport hazard class(es)	8
14.4. Packing group	II
14.5. Environmental hazards	- -
14.6. Special precautions for users	no

Sea transport (IMDG)

14.1. UN number	3264
14.2. UN proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID MORE THAN 5 % BUT NOT MORE THAN 20 %)
14.3. Transport hazard class(es)	8

SAFETY DATA SHEET

FOR

“BAM-I012”

according to Regulation (EC) No 1907/2006

Version number 4

Issue Date: 23.10.2018

Page: 9/10

14.4. Packing group	II
14.5 Environmental hazards	- -
14.6. Special precautions for users	yes
EmS	F-A S-B
14.7. Transport in bulk according to Annex II of Marpol 73/78 and the IBC code	
Not relevant	

Additional Transport Information:

Product BAM-I012 fulfils the limits for excepted quantities according to ADR and IMDG:

ADR:	Limited quantity (LQ):	1 L	
	Excepted quantity (EQ) Code:	E2	maximum net quantity per inner packaging: 30 mL maximum net quantity per outer packaging: 500 mL
IMDG	Limited quantities (LQ):	1L	
	Excepted quantities (EQ):	E2	maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

The transport regulations are cited according to international regulations and in the form applicable in Germany. Possible national deviations in other countries are not considered.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Occupational restrictions	Health and safety protection at work, directive 98/24/EC Take note of Directive 94/33/EC on the protection of young people at work
---------------------------	---

National legislation

Above regulations for health and safety protection at work are cited which are valid within the EU. As many EU-countries have additional regulations, please consult and follow your national regulations. National regulations should be considered in general for countries outside the EU.

15.2 Chemical safety assessment

For this product a chemical safety assessment is not required and therefore was not carried out.

Section 16: Other information

Full text of H-Statements referred to under sections 2 and 3

H272	May intensify fire; oxidizer
H290	May be corrosive to metals
H301	Toxic if swallowed
H314	Causes severe skin burns and eye damage
H330	Fatal if inhaled
H340	May cause genetic defects
H350	May cause cancer
H360	May damage fertility or the unborn child

SAFETY DATA SHEET

FOR

“BAM-I012”

according to Regulation (EC) No 1907/2006

Version number 4

Issue Date: 23.10.2018

Page: 10/10

H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

Full text of precautionary statements referred to under sections 2 and 3:

P273	Avoid release to the environment
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+311	IF exposed or concerned: Call a POISON CENTER or doctor/physician
P363	Wash contaminated clothing before reuse

Full text of R-phrases referred to under sections 2 and 3

R8	Contact with combustible material may cause fire.
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R34	Causes burns
R35	Causes severe burns.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Full text of S-phrases referred to under sections 2 and 3

S23	Do not breathe gas/fumes/vapor/spray
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36	Wear suitable protective clothing
S45	In case of accident or if you feel unwell seek medical advice immediately.

Release management: Regulation (EC) No 453/2010

The information contained herein is based on data considered to be accurate and on the present state of our knowledge. It characterizes the sample with regard to the appropriate safety precautions. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof.